

Warehousing literature

version 9 (November 5, 2007)

This list attempts to give an overview of all books, Ph.D theses, and scientific articles on warehousing. Excluded from the list are conference proceedings and book chapters. Furthermore, literature on subjects such as automated guided vehicles (AGV), facility layout (other than directly applied to warehousing), facility location and inventory models, is not included.

Please, do not contact me to obtain a copy of any of these books or articles. First of all, I do not have every article or book myself. Secondly, this would violate international copyright laws.

If you know of any books or articles missing on this list, please send your suggestions to me through the webform at <http://www.roodbergen.com>

K.J. Roodbergen

1 Journal articles

References

- [1] Abdel-Malek, L., and Tang, C. (1994), A heuristic for cyclic stochastic sequencing of tasks on a drum-like storage system, *Computers & Operations Research* 21(4), 385-396.
- [2] Abdou, G., and Lee, E. (1992), Contribution to the development of robotics palletization of multiple-box sizes, *Journal of Manufacturing Systems* 11(3).
- [3] Abdou, G., and Yang, M. (1994), A systematic approach for the three-dimensional palletization problem, *International Journal of Production Research* 32(10), 2381-2394.
- [4] Abdou, G., and Yang, M. (1995), Multi-layer palletisation of multi-size boxes, *International Journal of Advanced Manufacturing Technology* 10, 292-297.
- [5] Acaccia, G.M., Marelli, A., Michelini, R.C., and Zuccotti, A. (2003), Automatic fabric storing and feeding in quality clothing manufacture, *Journal of Intelligent & Robotic Systems* 37(4), 443-465.
- [6] Ackerman, K.B., and LaLonde, B.K. (1980), Making warehousing more efficient, *Harvard Business Review*, March-April, 94-102.
- [7] Agrawal, G.K., and Heragu, S.S. (2006), A survey of automated material handling systems in 300-mm Semiconductor Fabs, *IEEE Transactions on Semiconductor Manufacturing* 19(1), 112-120.
- [8] Amato, F., Basile, F., Carbone, C., and Chiacchio, P. (2005), An approach to control automated warehouse systems, *Control Engineering Practice* 13, 1223-1241.
- [9] Amirhosseini, M.M., and Sharp, G.P. (1996), Simultaneous analysis of products and orders in storage assignment, *Manufacturing Science and Engineering ASME 1996 MED-Vol. 4*, 803-811.

- [10] Apple, J.M. (1968), Criteria for investment in handling systems, *Journal of Industrial Engineering* 19(1), 16-20.
- [11] Armbruster, D., and Gel, E.S. (2006), Bucket brigades revisited: Are they always effective?, *European Journal of Operational Research* 172(1), 213-229.
- [12] Armbruster, D., and Gel, E.S., and Murakami, J. (2007), Bucket brigades with worker learning, *European Journal of Operational Research* 176(1), 264-274.
- [13] Armstrong, R.D., Cook, W.D., and Saipé, A.L. (1979), Optimal batching in a semi-automated order picking system, *Journal of Operational Research Society* 30(8), 711-720.
- [14] Ascheuer, N., Grötschel, M., and Abdel-Hamid, A.A.A. (1999), Order picking in an automatic warehouse: Solving online asymmetric TSPs, *Mathematical Methods of Operations Research* 49(3), 501-515.
- [15] Ascheuer, N., Fischetti, M., and Grötschel, M. (2001), Solving the Asymmetric Travelling Salesman Problem with time windows by branch-and-cut, *Mathematical Programming* 90(3), 475-506.
- [16] Ashayeri, J., and Gelders, L.F. (1985), Warehouse design optimization, *European Journal of Operational Research* 21(3), 285-294.
- [17] Ashayeri, J., Gelders, L.F., and Van Looy, P.M. (1983), A simulation package for automated warehouses, *Material Flow* 1, 189-198.
- [18] Ashayeri, J., Gelders, L., and Van Wassenhove, L. (1985), A microcomputer-based optimisation model for the design of automated warehouses, *International Journal of Production Research* 23(4), 825-839.
- [19] Ashayeri, J., Heuts, R.M., Valkenburg, M.W.T., Veraart, H.C., and Wilhelm, M.R. (2002), A geometrical approach to computing expected cycle times for zone-based storage layouts in AS/RS, *International Journal of Production Research* 40(17), 4467-4483.
- [20] Atmaca, T. (1994), Approximate analysis of a conveyor system, *International Journal of Production Research* 32(11), 2645-2655.
- [21] Ayoub, M.M., Mital, A., Bakken, G.M., Asfour, S.S., and Bethea, N.J. (1980), Development of strength and capacity norms for manual materials handling activities: the state of the art, *Human Factors* 22, 271-283.
- [22] Azadivar, F. (1986), Maximization of the throughput of a computerized automated warehousing system under system constraints, *International Journal of Production Research* 24(3), 551-566.
- [23] Azadivar, F. (1987), Minimum-cost modular design of automated warehousing systems, *Material Flow* 4, 177-188.
- [24] Azadivar, F. (1989), Optimum allocation of resources between the random access and rack storage spaces in an automated warehousing system, *International Journal of Production Research* 27(1), 119-131.
- [25] Bachers, R., Dangelmaier, W., and Warnecke, H.J. (1988), Selection and use of order-picking strategies in a high-bay warehouse, *Material Flow* 5, 233-245.

- [26] Baker, B.S., and Schwarz, J.S. (1983), Shelf-algorithms for two dimensional packing problems, *SIAM Journal of Computers* 12, 508-525.
- [27] Baker, P., and Halim, Z. (2007), An exploration of warehouse automation implementations: cost, service and flexibility issues, *Supply Chain Management* 12(2), 129-138.
- [28] Ballou, R.H. (1967), Improving the physical layout of merchandise in warehouses, *Journal of Marketing* 31(3), 60-64.
- [29] Banks, J. (1990), The simulation of material handling systems, *Simulation* 55(5), 261-270.
- [30] Barrett, B.G. (1977), A further digression on the over-automated warehouse: some evidence, *Interfaces* 8(1), 46-49.
- [31] Bartholdi, J.J. (1993), Balancing two-sided assembly lines: a case study, *International Journal of Production Research* 31(10), 2447-2461.
- [32] Bartholdi, J.J., Bunimovich, L.A., and Eisenstein, D.D. (1999), Dynamics of two- and three-worker 'bucket brigade' production lines, *Operations Research* 47(3), 488-491.
- [33] Bartholdi, J.J., and Eisenstein, D.D. (1996), A production line that balances itself, *Operations Research* 44(1), 21-34.
- [34] Bartholdi, J.J., Eisenstein, D.D., Foley, R.D. (2001), Performance of bucket brigades when work is stochastic, *Operations Research* 49(5), 710-719.
- [35] Bartholdi, J.J., and Gue, K.R. (2000), Reducing labor costs in an LTL crossdocking terminal, *Operations Research* 48(6), 823-832.
- [36] Bartholdi, J.J., and Platzman, L.K. (1986), Retrieval strategies for a carousel conveyor, *IIE Transactions* 18(2), 166-173.
- [37] Bartholdi, J.J., and Platzman, L.K. (1988), Design of efficient bin-numbering schemes for warehouses, *Material Flow* 4, 247-254.
- [38] Bartholdi, J.J., Vande Vate, J.H., and Zhang, J. (1989), Expected performance of the shelf heuristic for 2-dimensional packing, *Operations Research Letters* 8(1), 11-16.
- [39] Bassan, Y., Roll, Y., and Rosenblatt, M.J. (1980), Internal layout design of a warehouse, *AIIE Transactions* 12(4), 317-322.
- [40] Bastani, A. (1988), Analytical solution of closed-loop conveyor systems with discrete and deterministic material flow, *European Journal of Operational Research* 35(2), 187-192.
- [41] Bastani, A.S. (1990), Closed-loop conveyor systems with breakdown and repair of unloading stations, *IIE Transactions* 22(4), 351-360.
- [42] Beamon, B.M. (1999), System reliability and congestion in a material handling system, *Computers & Industrial Engineering* 36, 673-684.
- [43] Bellman, R. (1956), On the theory of dynamic programming - a warehousing problem, *Management Science* 2(3), 272-275.
- [44] Bengü, G. (1995), An optimal storage assignment for automated rotating carousels, *IIE Transactions* 27(1), 105-107.

- [45] Berger, S.M., and Ludwig, T.D. (2007), Reducing warehouse employee errors using voice-assisted technology that provided immediate feedback, *Journal of Organizational Behavior Management* 27(1), 1-31.
- [46] Berry, J.R. (1968), Elements of warehouse layout, *International Journal of Production Research* 7(2), 105-121.
- [47] Bhaskaran, K., and Malmborg, C.J. (1989), Modelling the service process in a multi-address warehousing system, *Applied Mathematical Modelling* 13(7), 386-396.
- [48] Bhaskaran, K., and Malmborg, C.J. (1990), Economic tradeoffs in sizing warehouse reserve storage area, *Applied Mathematical Modelling* 14(7), 381-385.
- [49] Bischoff, E.E. (1991), Stability aspects of pallet loading, *OR Spektrum* 13, 189-197.
- [50] Bischoff, E.E., Janetz, F., and Ratcliff, M.S.W. (1995), Loading pallets with non-identical items, *European Journal of Operational Research* 84(3), 681-692.
- [51] Bischoff, E.E. and Ratcliff, M.S.W. (1995), Loading multiple pallets, *Journal of the Operational Research Society* 46(11), 1322-1336.
- [52] Bishu, R.R., Donohue, B., and Murphy, P. (1991), Cognitive ergonomics of a mail order filling company: Part 1 - influence of colour, position and highlighting on recognition time, *Applied Ergonomics* 22(6), 367-372.
- [53] Bishu, R.R., Donohue, B., and Murphy, P. (1992), Cognitive ergonomics of a mail order filling company: Part 2 Influence of shelf coding and address information on acquisition time, *Applied Ergonomics* 23(2), 115-120.
- [54] Bozarth, C., and Vilarinho, P.M. (2006), Analyzing the impact of space utilization and production planning on plant space requirements - A case study and methodology, *International Journal of Industrial Engineering* 13(1), 81-89.
- [55] Bozer, Y.A., and Cho, M. (2005), Throughput performance of automated storage/retrieval systems under stochastic demand, *IIE Transactions* 37(4), 367-378.
- [56] Bozer, Y.A., Meller, R.D., and Erlebacher, S.J. (1994), An improvement-type layout algorithms for single and multiple floor facilities, *Management Science* 40(7), 918-932.
- [57] Bozer, Y.A., Quiroz, M.A., and Sharp, G.P. (1988), An evaluation of alternative control strategies and design issues for automated order accumulation and sortation systems, *Material Flow* 4, 265-282.
- [58] Bozer, Y.A., Schorn, E.C., and Sharp, G.P. (1990), Geometric approaches to solve the chebyshev traveling salesman problem, *IIE Transactions* 22(3), 238-254.
- [59] Bozer, Y.A., and Sharp, G.P. (1985), An empirical evaluation of general purpose automated order accumulation and sortation system used in batch picking, *Material Flow* 2(2), 111-131.
- [60] Bozer, Y.A., and White, J.A. (1984), Travel-time models for automated storage/retrieval systems, *IIE Transactions* 16(4), 329-338.

- [61] Bozer, Y.A., and White, J.A. (1990), Design and performance models for end-of-aisle order picking systems, *Management Science* 36(7), 852-866.
- [62] Bozer, Y.A., and White, J.A. (1996), A generalized design and performance analysis model for end-of-aisle order-picking systems, *IIE Transactions* 28(4), 271-280.
- [63] Braam, I.Th.J., Van Dormolen, M., and Frings-Dresen, M.H.W. (1996), The work load of warehouse workers in three different working systems, *International Journal of Industrial Ergonomics* 17(6), 469-480.
- [64] Brady, W. (1973), A comparison of the effect of work-time variation in two types of conveyor system, *International Journal of Production Research* 11(2), 171-182.
- [65] Broekmeulen, R.A.C.M. (1998), Operations management of distribution centers for vegetables and fruits, *International Transactions in Operational Research* 5(6), 501-508.
- [66] Brynzér, H., and Johansson, M.I. (1995), Design and performance of kitting and order picking systems, *International Journal of Production Economics* 41, 115-125.
- [67] Brynzér, H., and Johansson, M.I. (1996), Storage location assignment: Using the product structure to reduce order picking times, *International Journal of Production Economics* 46-47, 595-603.
- [68] Brynzér, H., Johansson, M.I., and Medbo, L. (1994), A methodology for evaluation of order picking systems as a base for system design and managerial decisions, *International Journal of Operations & Production Management* 14(3), 126-139.
- [69] Burkard, R.E., Fruhwirth, B., and Rote, G. (1995), Vehicle routing in an automated warehouse: Analysis and optimization, *Annals of Operations Research* 57, ???-???
- [70] Cahn, A.S. (1948), The warehouse problem, *Bulletin of the American Mathematical Society* 54, 1073.
- [71] Caputo, A.C., and Pelagagge, P.M. (2006), Management criteria of automated order picking systems in high-rotation high-volume distribution centers, *Industrial Management & Data Systems* 106(9), 1359-1383.
- [72] Carlo, H., Hodgson, T.J., Martin-Vega, L.A., and Stern, E.R. (1985), Micro-IPLS: Pallet loading on a microcomputer, *Computers & Industrial Engineering* 9(1), 29-34.
- [73] Carlson J.G. (1989), JIT applications to warehousing operations, *Engineering Costs and Production Economics* 17(1-4), 315-322.
- [74] Carlson, J.G., and Yao, A.C. (1996), A visually interactive expert system for a distribution center environment, *International Journal of Production Economics* 45(1-3), 101-109.
- [75] Caron, F., Marchet, G., and Perego, A. (1998) Routing policies and COI-based storage policies in picker-to-part systems, *International Journal of Production Research* 36(3), 713- 732.
- [76] Caron, F., Marchet, G., and Perego, A. (2000), Optimal layout in low-level picker-to-part systems, *International Journal of Production Research* 38(1), 101-117.

- [77] Caron, F., Marchet, G., and Perego, A. (2000), Layout design in manual picking system: a simulation approach, *Integrated Manufacturing Systems* 11(2), 94-104.
- [78] Carpenter, H., and Dowsland, W.B. (1985), Practical considerations of the pallet-loading problem, *Journal of the Operational Research Society* 36(6), 489-497.
- [79] Castillo, I., and Peters, B.A. (2002), Unit load and material-handling considerations in facility layout design, *International Journal of Production Research* 40(13), 2955-2989.
- [80] Chakraborty, P.S., Majumder, G., and Sarkar, B. (2007), Performance evaluation of material handling system for a warehouse, *Journal of Scientific & Industrial Research* 66(4), 325-329.
- [81] Chang, D.T., and Wen, U.P. (1997), The impact on rack configuration on the speed profile of the storage and retrieval machine, *IIE Transactions* 29, 525-531.
- [82] Chang, D.T., Wen, U.P., and Lin, J.T. (1993), Picking strategies to the two-carousel-single-server system in an automated warehouse, *Journal of the Chinese Institute of Engineers* 16(6), 817-824.
- [83] Chang, D.T., Wen, U.P., and Lin, J.T. (1995), The impact of acceleration/deceleration on travel-time models for automated storage/retrieval systems, *IIE Transactions* 27(1), 108-111.
- [84] Chang, S.H., and Egbelu, P.J. (1997), Relative pre-positioning of storage/retrieval machines in automated storage/retrieval systems to minimize maximum system response time, *IIE Transactions* 29(4), 303-312.
- [85] Chang, S.H., and Egbelu, P.J. (1997), Relative pre-positioning of storage/retrieval machines in automated storage/retrieval systems to minimize expected system response time, *IIE Transactions* 29(4), 313-322.
- [86] Chang, T.S., Fu, H.P., Hsu, R.C. (2006), The innovative conveying device application for transferring articles between two-levels of a multi-story building, *International Journal of Advanced Manufacturing Technology* 28, 197-204.
- [87] Chang, T.H., Fu, H.P., and Hu, K.Y. (2007), A two-sided picking model of M-AS/RS with an aisle-assignment algorithm, *International Journal of Production Research* 45(17), 3971-3990.
- [88] Charnes, A., and Cooper, W.W. (1955), Generalizations of the warehousing model, *Operational Research Quarterly* 6(4), 131-172.
- [89] Chen, C.S., Sarin, S., and Ram, B. (1991), The pallet packing problem for non-uniform box sizes, *International Journal of Production Research* 29(10), 1963-1968.
- [90] Chen, M.C., Huang, C.L., Chen, K.Y., and Wu, H.P. (2005), Aggregation of orders in distribution centers using data mining, *Expert Systems with Applications* 28(3), 453-460.
- [91] Chen, M.C., and Wu, H.P. (2005), An association-based clustering approach to order batching considering customer demand patterns, *Omega International Journal of Management Science* 33(4), 333-343.

- [92] Chen, Z.L., and Lee, C.Y. (2003), Scheduling of depalletizing and truck loading operations in a food distribution system, *Naval Research Logistics* 50(3), 239-256.
- [93] Chew, E.P., and Tang, L.C. (1999), Travel time analysis for general item location assignment in a rectangular warehouse, *European Journal of Operational Research* 112, 582-597.
- [94] Chiang, F.C., Wen, U.P., Lin, J.T., and Chang, D.T. (1994), Travel time estimation for the order picking problem in automated warehousing systems, *Journal of the Chinese Institute of Engineers* 17(2), 205-211.
- [95] Chincholkar, A.K., and Krishnaiah Chetty, O.V. (1996), Simultaneous optimisation of control factors in automated storage and retrieval systems and FMS using stochastic coloured Petri nets and the Taguchi method, *International Journal of Advanced Manufacturing Technology* 12(2), 137-144.
- [96] Chincholkar, A.K., Krishnaiah Chetty, O.V., and Kuppuswamy, G. (1994), Analysis of an automated storage and retrieval system using stochastic coloured Petri nets, *Advances in Modelling & Analysis, C: System Analyses, Control & Design* 44(3), 19-30.
- [97] Chow, H.K.H., Choy, K.L., Lee, W.B., and Lau, K.C. (2006), Design of a RFID case-based resource management system for warehouse operations, *Expert Systems with Applications* 30, 561-576.
- [98] Chow W.M. (1986), An analysis of automated storage and retrieval systems in manufacturing assembly lines, *IIE Transactions* 18(2), 204-214.
- [99] Christmansson, M., Medbo, L., Hansson, G.A., Ohlsson, K., Unge Byström, J., Möller, T., and Forsman, M. (2002), A case study of a principally new way of material kitting - an evaluation of time consumption and physical workload, *International Journal of Industrial Ergonomics* 30, 49-65.
- [100] Christofides, N., and Colloff, I. (1973), The rearrangement of items in a warehouse, *Operations Research* 21(2), 577-589.
- [101] Chu, H.K., Egbelu, P.J., and Wu, C.T. (1995), Advisor - A computer-aided material handling equipment selection system, *International Journal of Production Research* 33(12), 3311-3329.
- [102] Cormier, G., and Gunn, E.A. (1992), A review of warehouse models, *European Journal of Operational Research* 58, 3-13.
- [103] Cormier, G., and Gunn, E.A. (1996), Simple models and insights for warehouse sizing, *Journal of the Operational Research Society* 47(5), 690-696.
- [104] Cormier, G., and Gunn, E.A. (1996), On coordinating warehouse sizing, leasing and inventory policy, *IIE Transactions* 28(2), 149-154.
- [105] Cormier, G., and Gunn, E.A. (1999), Modelling and analysis for capacity expansion planning in warehousing, *Journal of the Operational Research Society* 50(1), 52-59.
- [106] Cormier, G., and Kersey, D.F. (1995), Conceptual design of a warehouse for just-in-time operations in a bakery, *Computers & Industrial Engineering* 29(1-4), 361-365.

- [107] Crisp, R.M., Skeith, R.W., and Barnes J.W. (1968), A simulated study of conveyor serviced production stations, *International Journal of Production Research* 7(4), 301-309.
- [108] Daboub,, J.J., Trevino, J., Liao,, H.H., and Wang, J. (1989), Computer aided design of unit loads, *Computers & Industrial Engineering* 17(1-4), 274-280.
- [109] Dallari, F., Marchet, G., Ruggeri, R. (2000), Optimisation of a man-on-board automated storage/retrieval system, *Integrated Manufacturing Systems* 11(2), 87-93.
- [110] Dangelmeier, W., and Bachers, R. (1986), SIMULAP - A simulation system for material flow and warehouse design, *Material Flow* 3, 207-214.
- [111] Daniels, R.L., Rummel, J.L. and Schantz, R. (1998) A model for warehouse order picking, *European Journal of Operational Research* 105, 1-17.
- [112] De Jong, M.J., and Anderson, E.J. (1995), The setting of shelf heights and the distribution of box sizes in two dimensional shelf packing, *International Transactions in Operational Research* 2(2), 181-186.
- [113] Dekker, R., De Koster, M.B.M., Roodbergen, K.J., and Van Kalleveen, H. (2004), Improving order-picking response time at Ankor's warehouse, *Interfaces* 34(4), 303-313.
- [114] De Koster, R. (1994), Performance approximation of pick-to-belt orderpicking systems, *European Journal of Operational Research* 72(3), 558-573.
- [115] De Koster, R., Le-Duc, T., and Roodbergen, K.J. (2007), Design and control of warehouse order picking: A literature review, *European Journal of Operational Research* 182(2), 481-501.
- [116] René de Koster, Tho Le-Duc and Kees Jan Roodbergen
- [117] De Koster, R., and Van der Poort, E. (1998), Routing orderpickers in a warehouse: a comparison between optimal and heuristic solutions, *IIE Transactions* 30, 469-480.
- [118] De Koster, R., Van der Poort, E., and Roodbergen, K.J. (1998), When to apply optimal or heuristic routing of orderpickers, in: *Advances in Distribution Logistics*, B. Fleischmann et al. (eds.), Springer Verlag, Berlin, 375-401.
- [119] De Koster, M.B.M., Van der Poort, E.S., and Wolters, M. (1999), Efficient orderbatching methods in warehouses, *International Journal of Production Research* 37(7), 1479-1504.
- [120] De Koster, M.B.M., and Warffemius, P.M.J. (2005), American, Asian and third-party international warehouse operations in Europe, *International Journal of Operations & Production Management* 25(8), 762-780.
- [121] Denis, D., St-Vincent, M., Imbeau, D., and Trudeau, R. (2006), Stock management influence on manual materials handling in two warehouse superstores, *International Journal of Industrial Ergonomics* 36, 191-201.
- [122] Disney, R.L. (1963), Some results of multichannel queueing problems with ordered entry - an application to conveyor theory, *Journal of Industrial Engineering* 14(2), 105-108.
- [123] Dotoli, M., and Fanti, M.P. (2005), A coloured Petri net model for automated storage and retrieval systems serviced by rail-guided vehicles: a control perspective, *International Journal of Computer Integrated Manufacturing* 18(2-3), 122-136.

- [124] Dotoli, M., Fanti, M.P. (2007), Deadlock detection and avoidance strategies for automated storage and retrieval systems, *IEEE Transactions on Systems Man and Cybernetics - Part C* 37(4), 541-552.
- [125] Dowlatshahi, S. (1994), A modelling approach to design of integrated facilities, *International Journal of Production Research* 32(6), 1313-1330.
- [126] Dowsland, K.A. (1984), The three-dimensional pallet chart: an analysis of the factors affecting the set of feasible layouts for a class of two-dimensional packing problems, *Journal of the Operational Research Society* 35(10), 895-905.
- [127] Dowsland, K.A. (1985), A graph-theoretic approach to a pallet loading problem, *New Zealand Operational Research* 13, 77-86.
- [128] Dowsland, K.A. (1985), Determining an upperbound for a class of rectangular packing problems, *Computers & Operations Research* 12(2), 201-205.
- [129] Dowsland, K.A. (1987), An exact algorithm for the pallet loading problem, *European Journal of Operational research* 31(1), 78-84.
- [130] Dowsland, K.A. (1987), A combined data-base and algorithmic approach to the pallet-loading problem, *Journal of the Operational Research Society* 38(4), 341-345.
- [131] Dowsland, K.A. (1990), Efficient automated pallet loading, *European Journal of Operational Research* 44(2), 232-238.
- [132] Dreyfus, S.E. (1957), An analytic solution of the warehouse problem, *Management Science* 4(1), 99-104.
- [133] Drury, C.G. (1975), Predictive models for setting safe limits in manual materials handling, *International Journal of Production Research* 13(6), 529-539.
- [134] Dukic, G., and Oluic, C. (2004), Order-picking routing policies: Simple heuristics, advanced heuristics or optimal algorithm, *Strojniski Vestnik - Journal of Mechanical Engineering* 50(11), 530-535.
- [135] Eastman, W.L. (1959), A note on the multi-commodity warehouse problem, *Management Science* 5(3), 327-331.
- [136] Eben-Chaime, M. (1992), Operations sequencing in automated warehousing systems, *International Journal of Production Research* 30(10), 2401-2409.
- [137] Eben-Chaime, M., and Pliskin, N. (1996), An integrative model for automatic warehousing systems, *International Journal of Computer Integrated Manufacturing* 9(4), 286-292.
- [138] Eben-Chaime, M., and Pliskin, N. (1997), Operations management of multiple machine automatic warehousing systems, *International Journal of Production Economics* 51(1-2), 83-98.
- [139] Egbelu, P.J. (1991), Framework for dynamic positioning of storage/retrieval machines in an automated storage/retrieval system, *International Journal of Production Research* 29(1), 17- 37.

- [140] Egbelu, P.J., and Wu, C.-T. (1993), A comparison of dwell point rules in an automated storage/retrieval system, *International Journal of Production Research* 31(11), 2515-2530.
- [141] Egbelu, P., and Wu, C. (1998), Relative positioning of a load extractor for a storage carousel, *IIE Transactions* 30(4), 301-317.
- [142] Eldemir, F., Graves, R.J., and Malmborg, C.J. (2003), A comparison of alternative conceptualizing tools for automated storage and retrieval systems, *International Journal of Production Research* 41(18), 4517-4539.
- [143] Eldemir, F., Graves, R.J., and Malmborg, C.J. (2004), New cycle time and space estimation models for automated storage and retrieval system conceptualization, *International Journal of Production Research* 42(22), 4767-4783.
- [144] Elliott, M. (2000), Warehouse management system software, *IIE Solutions* 32(9), 42-46.
- [145] El Sayed, E.A., Elayat, H., and Ragals, A.M. (1978), Simulation of conveyor systems with dual inputs, *Simulation* 31(8), 97-103.
- [146] El Sayed, A.R., Proctor, C.L., and Elayat, H.A. (1976), Analysis of closed-loop conveyor systems with multiple Poisson inputs and outputs, *International Journal of Production Research* 14(1), 99-109.
- [147] Elsayed, E.A. (1981), Algorithms for optimal material handling in automatic warehousing systems, *International Journal of Production Research* 19(5), 525-535.
- [148] Elsayed, E.A., Dube, R., and Proctor, C.L. (1980), Heuristic algorithms for handling orders within a warehouse, *Unit and Bulk Materials Handling*, ASME Publication, 225-233.
- [149] Elsayed, E.A., Elayat, H., and Ragab, A.M. (1978), Simulation of conveyor systems with dual inputs, *Simulation* 31(3), 97-103.
- [150] Elsayed, E.A., and Lee, M.K. (1996), Order processing in automated storage/retrieval systems with due dates, *IIE Transactions* 28(7), 567-577.
- [151] Elsayed, E.A., Lee, M.K., Kim, S., and Scherer, E. (1993), Sequencing and batching procedures for minimizing earliness and tardiness penalty of order retrievals, *International Journal of Production Research* 31(3), 727-738.
- [152] Elsayed, E.A., and Proctor, C.L. (1977), Ordered entry and random choice conveyors with multiple Poisson inputs, *International Journal of Production Research* 15(5), 439-451.
- [153] Elsayed, E.A., and Stern, R.G. (1983), Computerized algorithms for order processing in automated warehousing systems, *International Journal of Production Research* 21(4), 579-586.
- [154] Elsayed, E.A., and Unal, O.I. (1989), Order batching algorithms and travel-time estimation for automated storage/retrieval systems, *International Journal of Production Research* 27(7), 1097-1114.
- [155] Erlenkotter, D. (1977), Capacity expansion with imports and inventories, *Management Science* 23(7), 694-702.

- [156] Ernst, R., and Kamrad, B. (1997), Allocation of warehouse inventory with electronic data interchange and fixed order intervals, *European Journal of Operational Research* 103(1), 117-128.
- [157] Eynan, A., and Rosenblatt, M.J. (1993), An interleaving policy in automated storage/retrieval systems, *International Journal of Production Research* 31(1), 1-18.
- [158] Eynan, A., and Rosenblatt, M.J. (1994), Establishing zones in single-command class-based rectangular AS/RS, *IIE Transactions* 26(1), 38-46.
- [159] Faber, N., De Koster, R., and Van de Velde, S. (2002), Linking warehouse complexity to warehouse planning and control structure - An exploratory study of the use of warehouse management information system, *International Journal of Physical Distribution and Logistics Management* 32(5), 381-395.
- [160] Fisher, E.L., Farber, J.B., and Kay, M.G. (1988), MATHES: an expert system for material handling equipment selection, *Engineering Costs and Production Economics* 14(4), 297-310.
- [161] Fohn, S.M., Greef, A.R., Young, R.E., and O'Grady, P.J. (1994), A constraint-system shell to support concurrent engineering approaches to design, *Artificial Intelligence in Engineering* 9, 1-17.
- [162] Foley, R.D., and Frazelle, E.H. (1991), Analytical results for miniload throughput and the distribution of dual command travel time, *IIE Transactions* 23(3), 273-281.
- [163] Foley, R.D., Frazelle, E.H., and Park, B.C. (2002), Throughput bounds for miniload automated storage/retrieval systems, *IIE Transactions* 34(10), 915-920.
- [164] Foley, R.D., Hackman, S.T., and Park, B.C. (2004), Back-of-the-envelope miniload throughput bounds and approximations, *IIE Transactions* 36(3), 279-285.
- [165] Foley, R.D., and Park, B.C. (2002), Optimal allocation of buffers and customers in a two-node cyclic network with multiple servers, *Operations Research Letters* 30(1), 19-24.
- [166] Foulds, L.R., and Wilson, J.M. (1999), On an assignment problem with side constraints, *Computers & Industrial Engineering* 37, 847-858.
- [167] Francis, R.L. (1967), On some problems of rectangular warehouse design and layout, *Journal of Industrial Engineering* 18(10), 595-604.
- [168] Frazelle, E.H., Hackman, S.T., Passy, U., and Platzman, L.K. (1994), The forward-reserve problem, in: *Optimization in Industry 2*, T.C. Ciriani, R.C. Leachman (eds.), Wiley, 43-61.
- [169] Gademann, N., and Van de Velde, S. (2005), Order batching to minimize total travel time in a parallel-aisle warehouse, *IIE Transactions* 37(1), 63-75.
- [170] Gademann, A.J.R.M., Van den Berg, J.P., and Van der Hoff, H.H. (2001), An order batching algorithm for wave picking in a parallel-aisle warehouse, *IIE Transactions* 33(5), 385-398.
- [171] Garg, A., Hagglund, G., and Mericle, K. (1986), A physiological evaluation of time standards for warehouse operations as set by traditional work measurement techniques, *IIE Transactions* 18(3), 235-245.

- [172] Garg, A., Hagglund, G., and Mericle, K. (1986), Biomechanical and ergonomic stresses in warehouse operations, *IIE Transactions* 18(3), 246-250.
- [173] George, J.A., and Robinson, D.F. (1980), A heuristic for packing boxes into a container, *Computers & Operations Research* 7(3), 147-156.
- [174] Ghosh, J.B., and Wells, C.E. (1992), Optimal retrieval strategies for carousel conveyors, *Mathematical and Computer Modelling* 16(10), 59-70.
- [175] Gibson, D.R., and Sharp, G.P. (1992), Order batching procedures, *European Journal of Operational Research* 58(1), 57-67.
- [176] Goetschalckx, M. (1992), An interactive layout heuristic based on hexagonal adjacency graphs, *European Journal of Operational Research* 63(2), 304-321.
- [177] Goetschalckx, M., and Ratliff, H.D. (1988), Sequencing picking operations in a man-on-board order picking system, *Material Flow* 4, 255-263.
- [178] Goetschalckx, M., and Ratliff, H.D. (1988), An efficient algorithm to cluster order picking items in a wide aisle, *Engineering Costs and Production Economics* 13(4), 263-271.
- [179] Goetschalckx, M., and Ratliff, H.D. (1988), Order picking in an aisle, *IIE Transactions* 20(1), 53-62.
- [180] Goetschalckx, M., and Ratliff, H.D. (1990), Shared storage policies based on the duration stay of unit loads, *Management Science* 36(9), 1120-1132.
- [181] Goetschalckx, M., and Ratliff, H.D. (1991), Optimal lane depths for single and multiple products in block stacking storage systems, *IIE Transactions* 23(3), 245-258.
- [182] Goh, M., Jihong, O., and Chung-Piaw, T. (2001), Warehouse sizing to minimize inventory and storage costs, *Naval Research Logistics* 48(4), 299-312.
- [183] Goomas, D.T. (2007), Electronic performance self-monitoring and engineered labor standards for "man-up" drivers in a distribution center, *Journal of Business and Psychology* 21(4), 541-558.
- [184] Goomas, D.T., Ludwig, T.D. (2007), Enhancing incentive programs with proximal goals and immediate feedback: Engineered labor standards and technology enhancements in stocker replenishment, *Journal of Organizational Behavior Management* 27(1), 33-68.
- [185] Gopalakrishnan, M., Narayanan, S., Bodner, D.A., Patchigolla, K.Y., Kantamneni, R.P., Edala, N.R., and Ruff, H.A. A computerized system for storage location assignment in third party warehouses, *International Journal of Industrial Engineering* 8(2), 159-167.
- [186] Grasso, E.T., and Tanchoco, J.M.A. (1983), Unit load and material handling considerations in material requirements planning systems, *Material Flow* 1, 79-87.
- [187] Graves, S.C., Hausman, W.H., and Schwarz, L.B. (1977), Storage-retrieval interleaving in automatic warehousing systems, *Management Science* 23(9), 935-945.
- [188] Gray, A.E., Karmarkar, U.S., and Seidmann, A. (1992), Design and operation of an order-consolidation warehouse: models and application, *European Journal of Operational Research* 58(1), 14-36.

- [189] Gregory, G., and Litton, C.D. (1975), A conveyor model with exponential service times, *International Journal of Production Research* 13(1), 1-7.
- [190] Gregory, G., and Litton, C.D. (1975), A Markovian analysis of a single conveyor system, *Management Science* 22(3), 371-375.
- [191] Gu, J., Goetschalckx, M., and McGinnis, L.F. (2007), Research on warehouse operation: A comprehensive review, *European Journal of Operational Research* 177(1), 1–21.
- [192] Gue, K.R. (1999), The effects of trailer scheduling on the layout of freight terminals, *Transportation Science* 33(4), 419-428.
- [193] Gue, K.R., Meller, R.D., and Skufca, J.D. (2006), The effects of pick density on order picking areas with narrow aisles, *IIE Transactions* 38(10), 859-868.
- [194] Guenov, M., and Raeside, R. (1992), Zone shapes in class based storage and multicommand order picking when storage/retrieval machines are used, *European Journal of Operational Research* 58(1), 37-47.
- [195] Gunasekaran A., Marri H.B., and Menci F. (1999), Improving the effectiveness of warehousing operations: a case study, *Industrial Management & Data Systems* 99(8), 328-339.
- [196] Gutenschwager, K., Niklaus, C., and Voß, S. (2004), Dispatching of an electric monorail system: Applying metaheuristics to an online pickup and delivery problem, *Transportation Science* 38(4), 434-446.
- [197] Ha, J.W., and Hwang, H. (1994), Class-based storage assignment policy in carousel system, *Computers & Industrial Engineering* 26(3), 489-499.
- [198] Hackman, S.T., Frazelle, E.H., Griffin, P.M., Griffin, S.O., and Vlasta, D.A. (2001), Benchmarking warehousing and distribution operations: an input-output approach, *Journal of Productivity Analysis* 16(1), 79-100.
- [199] Hackman, S.T., and Platzman, L.K. (1990), Near-optimal solution of generalized resource allocation problems with large capacities, *Operations Research* 38(5), 902-910.
- [200] Hackman, S.T., and Rosenblatt, M.J. (1990), Allocating items to an automated storage and retrieval system, *IIE Transactions* 22(1), 7-14.
- [201] Hall, R.W. (1993), Distance approximations for routing manual pickers in a warehouse, *IIE Transactions* 25(4), 76-87.
- [202] Han, C.P., Knott, K., and Egbelu, P.J. (1989), A heuristic approach to the three-dimensional cargo-loading problem, *International Journal of Production Research* 27(5), 757-774.
- [203] Han, M.H., McGinnis, L.F., Shieh, J.S., and White, J.A. (1987), On sequencing retrievals in an automated storage/retrieval system, *IIE Transactions* 19(1), 56-66.
- [204] Han, M.H., McGinnis, L.F., and White, J.A. (1988), Analysis of rotary rack operation, *Material Flow* 4, 283-293.
- [205] Hariga, M.A., and Jackson, P.L. (1996), The warehouse scheduling problem: formulation and algorithms, *IIE Transactions* 28(2), 115-127.

- [206] Harmatuck, D.J. (1976), A comparison of two approaches to stock location, *The Logistics and Transportation Review* 12(4), 282-284.
- [207] Hassan, M.M.D., Hogg, G.L., and Smith D.R. (1985), A construction algorithm for the selection and assignment of materials handling equipment, *International Journal of Production Research* 23(2), 381-392.
- [208] Hassini, E., and Vickson, R.G. (2003), A two-carousel storage location problem, *Computers & Operations Research* 30(4), 527-539.
- [209] Hausman, W.H., Schwarz, L.B., and Graves, S.C. (1976), Optimal storage assignment in automatic warehousing systems, *Management Science* 22(6), 629-638.
- [210] Heitmann, J. (1998), User requirements and technologies for automated storage and retrieval - Interim report of the SMPTE study group on user requirements for future automated storage and retrieval systems, *SMPTE Journal* 107(2), 100-105.
- [211] Helgeson, W.B. (1960), Planning for the use of overhead monorail non-reversing loop type conveyor systems for storage and delivery, *Journal of Industrial Engineering* 11(6), 488-492.
- [212] Heragu, S.S., Du, L., Mantel, R.J., and Schuur, P.C. (2005), Mathematical model for warehouse design and product allocation, *International Journal of Production Research* 43(2), 327-338.
- [213] Heragu, S.S., Mazacioglu, B., and Fuerst, K.D. (1994), Meta-heuristic algorithms for the order picking problem, *International Journal of Industrial Engineering* 1(1), 67-76.
- [214] Herron, D.P., and Hawley, R.L. (1969), Establishing the optimum inventory size and stocking policy for a warehouse, *AIIE Transactions* 1(1), 75-80.
- [215] Heslen P.M.C., Renders P.J.J., and Rooda J.E. (2001), Application of a layout/material handling design method to a furnace area in a 300 mm wafer fab, *International Journal of Advanced Manufacturing Technology* 17(3), 216-220.
- [216] Heskett, J.L. (1963), Cube-per-order index - a key to warehouse stock location, *Transportation and Distribution Management* 3, 27-31.
- [217] Heskett, J.L. (1964), Putting the cube-per-order index to work in warehouse layout, *Transportation and Distribution Management* 4(8), 23-30.
- [218] Ho, Y.C., Chien, S.P. (2006), A comparison of two zone-visitation sequencing strategies in a distribution centre, *Computers & Industrial Engineering* 50(4), 426-439.
- [219] Ho, Y.C., and Tseng, Y.Y. (2006), A study on order-batching methods of order-picking in a distribution centre with two cross-aisles, *International Journal of Production Research* 44(17), 3391-3417.
- [220] Hoare, N.P., Beasley, J.E. (2001), Placing boxes on shelves: a case study, *Journal of the Operational Research Society* 52(6), 605-614.
- [221] Hodgson, T.J. (1982), A combined approach to the pallet loading problem, *IIE Transactions* 14(3), 175-182.

- [222] Hodgson, T.J., Hughes, D.S., and Martin-Vega, L.A. (1983), A note on a combined approach to the pallet loading problem, *IIE Transactions* 15(3), 268-271.
- [223] Hodgson, T.J., and Lowe, T.J. (1982), Production lot sizing with material-handling cost considerations, *IIE Transactions* 14(1), 44-51.
- [224] Homer, E.D. (1966), Space-limited aggregate inventories with phased deliveries, *Journal of Industrial Engineering* 17(6), 327-333.
- [225] Hou, J.L. (2004), An optimization model for command cycle assignment of AS/RS orders, *Journal of the Chinese Institute of Engineers* 27(2), 173-186.
- [226] Houshyar, A., and Chung, I. (1991), Using simulation to compare different automated storage/retrieval system designs, *Computers & Industrial Engineering* 21(1-4), 629-633.
- [227] Hsieh, L., and Tsai, L. (2006), The optimum design of a warehouse system on order picking efficiency, *International Journal of Advanced Manufacturing Technology* 28(5-6), 626-637.
- [228] Hsieh, S., Hwang, J.S., and Chou, H.C. (1998), A Petri-net-based structure for AS/RS operation modelling, *International Journal of Production Research* 36(12), 3323-3346.
- [229] Hsieh, S., and Tsai, K.C. (2001), A BOM oriented class-based storage assignment in an automated storage/retrieval system, *International Journal of Advanced Manufacturing Technology* 17(9), 683-691.
- [230] Hsu, C.M., Chen, K.Y., and Chen, M.C. (2005), Batching orders in warehouses by minimizing travel distance with genetic algorithms, *Computers in Industry* 56(2), 169-178.
- [231] Hu, Y.H., Huang, S.Y., Chen, C., Hsu, W.J., Toh, A.C., Loh, C.K., and Song, T. (2005), Travel time analysis of a new automated storage and retrieval system, *Computers & Operations Research* 32(6), 1515-1544.
- [232] Hung, M.S., and Fisk, C.J. (1984), Economic sizing of warehouses - a linear programming approach, *Computers & Operations Research* 11(1), 13-18.
- [233] Hur, S., Lee, Y.H., Lim, S.Y., Lee, M.H. (2004), A performance estimation model for AS/RS by M/G/1 queuing system, *Computers & Industrial Engineering* 46, 233-241.
- [234] Hur, S., and Nam, J. (2006), Performance analysis of automatic storage/retrieval systems by stochastic modelling, *International Journal of Production Research* 44(8), 1613-1626.
- [235] Hwang, H., Baek, W., and Lee, M.K. (1988), Clustering algorithms for order picking in an automated storage and retrieval system, *International Journal of Production Research* 26(2), 189-201.
- [236] Hwang, H., Chang, I.H., Moon, S.W., and Lim J.M. (1999), Economic design of refrigerated automated storage and retrieval systems, *Engineering Optimization* 32(2), 249-266.
- [237] Hwang, H., and Choi, D.W. (2003), Economic design of multi-carousel system based on a recursive optimization/simulation procedure, *International Journal of Industrial Engineering* 10(4), 449-454.
- [238] Hwang, H., and Ha, J.W. (1991), Cycle time models for single/double carousel system, *International Journal of Production Economics* 25(1-3), 129-140.

- [239] Hwang, H., and Ha, J.W. (1994), An optimal boundary for two class-based storage assignment policy in carousel system, *Computers & Industrial Engineering* 27(1-4), 87-90.
- [240] Hwang, H., Kim, C.S., and Ko, K.H. (1999), Performance analysis of carousel systems with double shuttle, *Computers & Industrial Engineering* 36(2), 473-485.
- [241] Hwang, H., and Kim, D.G. (2005), Order-batching heuristics based on cluster analysis in a low-level picker-to-part warehousing system, *International Journal of Production Research* 43(17), 3657-3670.
- [242] Hwang, H., and Ko, C.S. (1988), A study on multi-aisle system served by a single storage/retrieval machine, *International Journal of Production Research* 26(11), 1727- 1737.
- [243] Hwang, H., and Lee, M.K. (1988), Order batching algorithms for a man-on-board automated storage and retrieval system, *Engineering Costs and Production Economics* 13(4), 285-294.
- [244] Hwang, H., and Lee, S.B. (1990), Travel-time models considering the operating characteristics of the storage and retrieval machine, *International Journal of Production Research* 28(10), 1779-1789.
- [245] Hwang, H., and Lim, J.M. (1993), Deriving an optimal dwell point of the storage/retrieval machine in an automated storage/retrieval system, *International Journal of Production Research* 31(11), 2591-2602.
- [246] Hwang, H., Moon, S., and Gen, M. (2002), An integrated model for the design of end-of-aisle order picking system and the determination of unit load sizes of AGVs, *Computers & Industrial Engineering* 42(2-4), 249-258.
- [247] Hwang, H., Oh, Y.H., and Cha, C.N. (2003), A stock location rule for a low level picker-to-part system, *Engineering Optimization* 35(3), 285-295.
- [248] Hwang, H., Oh, Y.H., and Lee, Y.K. (2004), An evaluation of routing policies for order-picking operations in low-level picker-to-part system, *International Journal of Production Research* 42(18), 3873-3889.
- [249] Hwang, H., and Song, J.Y. (1993), Sequencing picking operations and travel time models for man-on-board storage and retrieval warehousing system, *International Journal of Production Economics* 29(1), 75-88.
- [250] Hwang, H., Song, Y.K., and Kim, K.H. (2004), The impacts of acceleration/deceleration on travel time models for carousel systems, *Computers & Industrial Engineering* 46(2), 253-265.
- [251] Hwang, H.S., and Cho, G.S. (2003), A performance analysis of transporters for order picking warehouse design, *International Journal of Industrial Engineering* 10(4), 614-620.
- [252] Hwang, H.S., Cho, G.S. (2006), A performance evaluation model for order picking warehouse design, *Computers & Industrial Engineering* 51(2), 335-342.
- [253] Inman, R.R. (2003), ASRS sizing for recreating automotive assembly sequences, *International Journal of Production Research* 41(5), 847-863.

- [254] Ito, T., and Abadi, S.M.M.J. (2002), Agent-based material handling and inventory planning in warehouse, *Journal of Intelligent Manufacturing* 13(3), 201-210.
- [255] Jacobs, D.P., Peck, J.C., and Davis, J.S. (2000), A simple heuristic for maximizing service of carousel storage, *Computer & Operations Research* 27, 1351-1356.
- [256] Jaikumar, R., and Solomon, M.M. (1990), Dynamic operational policies in an automated warehouse, *IIE Transactions* 22(4), 370-376.
- [257] Jane, C.C. (2000), Storage location assignment in a distribution center, *International Journal of Physical Distribution & Logistics Management* 30(1-2), 55-71.
- [258] Jane, C.C., and Laih, Y.W. (2005), A clustering algorithm for item assignment in a synchronized zone order picking system, *European Journal of Operational Research* 166(2), 489-496.
- [259] Jarvis, J.M., and McDowell, E.D. (1991), Optimal product layout in an order picking warehouse, *IIE Transactions* 23(1), 93-102.
- [260] Jawahar, N., Aravindan, P., and Ponnambalam, S.G. (1998), Optimal random storage allocation for an AS/RS in an FMS, *International Journal of Advanced Manufacturing Technology* 14(2), 116-132.
- [261] Jewkes, E., Lee, C., and Vickson, R. (2004), Product location, allocation and server home base location for an order picking line with multiple servers, *Computers & Operations Research* 31(4), 623-636.
- [262] Johnson, M.E. (1998), The impact of sorting strategies on automated sortation system performance, *IIE Transactions* 30, 67-77.
- [263] Johnson, M.E., and Brandeau M.L. (1996), Stochastic modeling for automated material handling system design and control, *Transportation Science* 30(4), 330-350.
- [264] Johnson, M.E., and Lofgren, T. (1994), Model decomposition speeds distribution center design, *Interfaces* 24(5), 95-106.
- [265] Johnson, M.E., and Meller, R.D. (2002), Performance analysis of split-case sorting systems, *Manufacturing & Service Operations Management* 4(4), 258-274.
- [266] Jucker, J.V., Carlson, R.C., and Kropp, D.H. (1982), The simultaneous determination of plant and leased warehouse capacities for a firm facing uncertain demand in several regions, *IIE Transactions* 14(2), 99-108.
- [267] Jünemann, R., and Meister, F. (1988), Rational warehouse planning - EDP-supported, *Material Flow* 4, 217-223.
- [268] Kabadi, S.N. (2002), New polynomially solvable classes and a new heuristic for the traveling salesman problem and its generalization, *Discrete Applied Mathematics* 119(1-2), 149-167.
- [269] Kadefors, R., and Forsman, M. (2000), Ergonomic evaluation of complex work: a participative approach employing video-computer interaction, exemplified in a study of order picking, *International Journal of Industrial Ergonomics* 25(4), 435-445.

- [270] Kallina, C., and Lynn, J. (1976), Application of the cube-per-order index rule for stock location in a distribution warehouse, *Interfaces* 7(1), 37-46.
- [271] Kanet, J.J., and Ramirez, R.G. (1986), Optimal stock picking decisions in automatic storage and retrieval systems, *Omega International Journal of Management Science* 14(3), 239- 244.
- [272] Karasawa, Y., Nakayama, H., and Dohi, S. (1980), Trade-off analysis for optimal design of automated warehouses, *International Journal of Systems Science* 11(5), 567-576.
- [273] Karp, R.M., McKeller, A.C., and Wong, C.K. (1975), Near-optimal solutions to a 2-dimensional placement problem, *SIAM Journal on Computing* 4(3), 271-286.
- [274] Karwowski, W., Mital, A., Palenque, L.E., and Ward, T.L. (1987), Development of a microcomputer-based expert system for the analysis of manual materials handling tasks in industrial settings, *International Journal of Industrial Ergonomics* 2, 49-59.
- [275] Kaylan, A., and Medeiros, D.J. (1988), Analysis of storage policies for miniload AS/RS, *Engineering Costs and Production Economics* 13(4), 311-318.
- [276] Keserla, A., and Peters, B.A. (1994), Analysis of dual-shuttle automated storage/retrieval systems, *Journal of Manufacturing Systems* 13(6), 424-434.
- [277] Kim, B.I., Graves, R.J., Heragu, S.S., and St. Onge, A. (2002), Intelligent agent modeling of an industrial warehousing problem, *IIE Transactions* 34, 601-612.
- [278] Kim, B.I., Heragu, S.S., Graves, R.J., St. Onge, A. (2003), A hybrid scheduling and control system architecture for warehouse management, *IEEE Transactions on Robotics and Automation* 19(6), 991-1001.
- [279] Kim, B.I., Heragu, S.S., Graves, R.J., St. Onge, A.S. (2003), Clustering-based order-picking sequence algorithm for an automated warehouse, *International Journal of Production Research* 41(15), 3445-3460.
- [280] Kim, B.I., Heragu, S.S., Graves, R.J., St. Onge, A. (2003), Realization of a short cycle time in warehouse replenishment and order picking, *International Journal of Production Research* 41(2), 349-364.
- [281] Kim, J., and Seidmann, A. (1990), A framework for the exact evaluation of expected cycle times in automated storage systems with full-turnover item allocation and random service requests, *Computers & Industrial Engineering* 18(4), 601-612.
- [282] Kim, K.H. (1993), A joint determination of storage locations and space requirements for correlated items in a miniload automated storage-retrieval system, *International Journal of Production Research* 31(11), 2649-2659.
- [283] Kim, K.H., and Park, K.T. (2003), Dynamic space allocation for temporary storage, *International Journal of Systems Science* 34(1), 11-20.
- [284] Kind, D.A. (1965), Measuring warehouse space utilization, *Transportation and Distribution Management* 5, 22-23.
- [285] Kind, D.A. (1975), Elements of space utilization, *Transportation and Distribution Management* 15, 29-34.

- [286] Kisperska-Moron, D. (1999), Warehousing conditions for holding inventory in Polish supply chains, *International Journal of Production Economics* 59(1-3), 123-128.
- [287] Kitaoka, M., Nabeta, T., Nakamura, R., and Dong, Y. (1996), EIQNK Curve Analysis for the Design of Distribution Center and Warehouse with Spline Function, *Computers & Industrial Engineering* 31(3-4), 635-636.
- [288] Klinecicz, J.G., and Rosenwein, M.B. (1997), Planning and consolidating shipments from a warehouse, *Journal of the Operational Research Society* 48(3), 241-246.
- [289] Knapp, G.M., and Wang, H.P. (1992), Modeling of automated storage/retrieval systems using Petri nets, *Journal of Manufacturing Systems* 11(1), 20-29.
- [290] Koenigsberg, E. (1959), Production lines and internal storage: a review, *Management Science* 5(4), 410-433.
- [291] Koh, S.G., Kim, B.S., and Kim, B.N. (2002), Travel time model for the warehousing system with a tower crane S/R machine, *Computers & Industrial Engineering* 43(3), 495-507.
- [292] Koh, S.G., Kwon, H.M., and Kim, Y.J. (2005), An analysis of the end-of-aisle order picking system: multi-aisle served by a single order picker, *International Journal of Production Economics* 98(2), 162-171.
- [293] Kouvelis, P., and Papanicolaou, V. (1995), Expected travel time and optimal boundary formulas for a two-class-based automated storage/retrieval system, *International Journal of Production Research* 33(10), 2889-2905.
- [294] Kozan, E. (2000), An integrated material handling system for a truck assembly plant, *Journal of the Operational Research Society* 51(3), 263-271.
- [295] Krishnaiah Chetty, O.V., Sarveswar Reddy, M. (2003), Genetic algorithms for studies on AS/RS integrated with machines, *International Journal of Advanced Manufacturing Technology* 22, 932-940.
- [296] Kulturel, S., Ozdemirel, N.E., Sepil, C., and Bozkurt, Z. (1999), Experimental investigation of shared storage assignment policies in automated storage/ retrieval systems, *IIE Transactions* 31, 739-749.
- [297] Kumar, A., and Sharman, G. (1992), We love your product, but where is it?, *Sloan Management Review* 33(2), 93-99.
- [298] Kunder, R., and Gudehus, T. (1975), Mittlere Wegzeiten beim eindimensionalen Kommissionieren, *Zeitschrift für Operations Research* 19, B53-B72.
- [299] Kuo, C.H., Dunn, K.D., and Randhawa, S.U. (1999), A case study assesment of performance measurement in distribution centers, *Industrial Management & Data Systems* 99(2), 54-63.
- [300] Kuo, P.H., Krishnamurthy, A., and Malmberg, C.J. (2007), Design models for unit load storage and retrieval systems using autonomous vehicle technology and resource conserving storage and dwell point policies, *Applied Mathematical Modelling* 31(10), 2332-2346.
- [301] Kuorinka, I., Lortie, M., and Gautreau, M. (1995), Manual handling in warehouses: the illusion of correct working postures, *Ergonomics* 37(4), 655-661.

- [302] Kusiak, A. (1985), Material handling in flexible manufacturing systems, *Material Flow* 2, 79- 95.
- [303] Kwo, T.T. (1958), A theory of conveyors, *Management Science* 5(1), 51-71.
- [304] Kwo, T.T. (1960), A method for designing irreversible overhead loop conveyors, *Journal of Industrial Engineering* 11(6), 459-466.
- [305] Lai, K.K., Xue, J., and Zhang, G. (2002), Layout design for a paper reel warehouse: A two-stage heuristic approach, *International Journal of Production Economics* 75, 231-243.
- [306] Landers, T.L., Beavers, M.K., Sadiq, M., and Stuart, D.E. (1994), Software for dynamic reconfigurable order picking systems, *Computers & Industrial Engineering* 27(1-4), 245-248.
- [307] Landers, T.L., Cole, M.H., Walker, B., and Kirk, R.W. (2000), The virtual warehousing concept, *Transportation Research Part E* 36(2), 115-125.
- [308] Larson, T.N., March, H., and Kusiak, A. (1997), A heuristic approach to warehouse layout with class-based storage, *IIE Transactions* 29(4), 337-348.
- [309] Le-Duc, T., and De Koster, M.B.M. (2005), Travel distance estimation and storage zone optimization in a 2-block class-based storage strategy warehouse, *International Journal of Production Research* 43(17), 3561-3581.
- [310] Le-Duc, T., and De Koster, R.M.B.M. (2007), Travel time estimation and order batching in a 2-block warehouse, *European Journal of Operational Research* 176(1), 374-388.
- [311] Lee, C., Huang, H.C., Liu, B., and Xu, Z.Y. (2006), Development of timed Colour Petri net simulation models for air cargo terminal operations, *Computers & Industrial Engineering* 51(1), 102-110.
- [312] Lee, G.H. (2001), Design of components and layout of machines for material handling, *International Journal of Advanced Manufacturing Technology* 17(5), 371-382.
- [313] Lee, H.F. (1997), Performance analysis for automated storage and retrieval systems, *IIE Transactions* 29(1), 15-28.
- [314] Lee, H.F., and Schaefer, S.K. (1996), Retrieval sequencing for unit-load automated storage and retrieval systems with multiple openings, *International Journal of Production Research* 34(10), 2943-2962.
- [315] Lee, H.F., and Schaefer, S.K. (1997), Sequencing methods for automated storage and retrieval systems with dedicated storage, *Computers and Industrial Engineering* 32(2), 351-362.
- [316] Lee, M.K. (1992), A storage assignment policy in a man-on-board automated storage/retrieval system, *International Journal of Production Research* 30(10), 2281-2292.
- [317] Lee, M.K., and Elsayed, E.A. (2005), Optimization of warehouse storage capacity under a dedicated storage policy, *International Journal of Production Research* 43 (9), 1785-1805.
- [318] Lee, M.K., and Hwang, H. (1988), An approach in the design of a unit-load automated carousel storage system, *Engineering Optimization* 13(3), 197-210.

- [319] Lee, M.K., and Kim, S.Y. (1995), Scheduling of storage/retrieval orders under a just-in-time environment, *International Journal of Production Research* 33(12), 3331-3348.
- [320] Lee, S.G., De Souza, R., and Ong, E.K. (1996), Simulation modelling of a narrow aisle automated storage and retrieval system (AS/RS) serviced by rail-guided vehicles, *Computers in Industry* 30(3), 241-253.
- [321] Lee, Y.H., Lee, M.H., and Hur, S. (2005), Optimal design of rack structure with modular cell in AS/RS, *International Journal of Production Economics* 98(2), 172-178.
- [322] Lee Y.H., Tanchoco J.M.A., and Chun S.J. (1999), Performance estimation models for AS/RS with unequal sized cells, *International Journal of Production Research* 37(18), 4197-4216.
- [323] Lerher, T., and Potrc, I. (2006), The design and optimization of automated storage and retrieval systems, *Strojniski Vestnik - Journal of Mechanical Engineering* 52(5), 268-291.
- [324] Lerher, T., Sraml, M., Kramberger, J., Potrc, I., Borovinsek, M., and Zmazek, B. (2006), Analytical travel time models for multi aisle automated storage and retrieval systems, *International Journal of Advanced Manufacturing Technology* 30(3-4), 340-356.
- [325] Letchford, A.N., and Amaral, A. (2001), Analysis of upper bounds for the pallet loading problem, *European Journal of Operational Research* 132, 582-593.
- [326] Levy, J. (1974), The optimal size of a storage facility, *Naval Research Logistics Quarterly* 21(2), 319-326.
- [327] Lewis, D.A., and Lin, R. (1989), Materials handling in the electronics industry: the same old problems, *Engineering Costs and Production Economics* 16(2), 111-116.
- [328] Li, C.S., Lee, C.Y. (2001), Fuzzy motion control of an auto-warehousing crane system, *IEEE Transactions on Industrial Electronics* 48(5), 983-994.
- [329] Li, Y., Lim, A., and Rodrigues, B. (2004), Crossdocking - JIT scheduling with time windows, *Journal of the Operational Research Society* 55(12), 1342-1351.
- [330] Lim, J.M., Kim, K.S., Yum, B.J., and Hwang, H. (1996), Determination of an optimal configuration of operating policies for direct-input-output manufacturing systems using the Taguchi method, *Computers & Industrial Engineering* 31(3-4), 555-560.
- [331] Lin, C.H., and Lu, I.Y. (1999), The procedure of determining the order picking strategies in distribution center, *International Journal of Production Economics* 60-61, 301-307.
- [332] Lin, C.W.R., and Tsao, Y.Z. (2006), Dynamic availability-oriented control of the automated storage/retrieval system. A computer integrated manufacturing perspective, *International Journal of Advanced Manufacturing Technology* 29(9-10), 948-961.
- [333] Lin, S.C., and Wang, H.P.B. (1995), Modelling an automated storage and retrieval system using Petri nets, *International Journal of Production Research* 33(1), 237-260.
- [334] Lindsay, C., Bright, G., Hippner, M. (2000), Advanced material handling system for computer integrated manufacturing. *Robotics and Computer-integrated Manufacturing* 16(6), 437-441.

- [335] Linn, R.J., and Wysk, R.A. (1987), An analysis of control strategies for an automated storage/retrieval system, *INFOR* 25(1), 66-83.
- [336] Linn, R.J., and Wysk, R.A. (1990), An expert system framework for automated storage and retrieval system control, *Computers & Industrial Engineering* 18(1), 37-48.
- [337] Linn, R.J., and Wysk, R.A. (1990), An expert system based controller for an automated storage/retrieval system, *International Journal of Production Research* 28(4), 735-756.
- [338] Linn, R.J., and Xie, X. (1993), A simulation analysis of sequencing rules for ASRS in a pull-based assembly facility, *International Journal of Production Research* 31(10), 2355-2367.
- [339] Litvak, N. (2006), Optimal picking of large orders in carousel systems, *Operations Research Letters* 34, 219-227.
- [340] Litvak, N., and Adan, I. (2001), The travel time in carousel systems under the nearest item heuristic, *Journal of Applied Probability* 38(1), 45-54.
- [341] Litvak, N., and Adan, I. (2002), On a class of order pick strategies in paternosters, *Operations Research Letters* 30(6), 377-386.
- [342] Litvak, N., Adan, I.J.B.F., Wessels, J., and Zijm, W.H. M. (2001), Order picking in carousel systems under the nearest item heuristic, *Probability in the Engineering and Informational Sciences* 15(2), 135-164.
- [343] Litvak, N., and Van Zwet, W.R. (2004), On the minimal travel time needed to collect n items on a circle, *Annals of Applied Probability* 14(2), 881-902.
- [344] Liu, C.M. (1999), Clustering techniques for stock location and order-picking in a distribution center, *Computers & Operations Research* 26, 989-1002.
- [345] Liu, F.H., and Hsiao, C.J. (1997), A three-dimensional pallet loading method for single-size boxes, *Journal of the Operational Research Society* 48(7), 726-735.
- [346] Ljungberg, A.S., Kilbom, Å., Hägg, G.M. (1989), Occupational lifting by nursing aides and warehouse workers, *Ergonomics* 32(1), 59-78.
- [347] Lowe, T.J., Francis, R.L., and Reinhardt, E.W. (1979), A greedy network flow algorithm for a warehouse leasing problem, *AIIE Transactions* 11(3), 170-182.
- [348] Ludwig, T.D., Goomas, D.T. (2007), Performance, accuracy, data delivery, and feedback methods in order selection: A comparison of voice, handheld, and paper technologies, *Journal of Organizational Behavior Management* 27(1), 69-107.
- [349] Mahajan, S., Rao, B.V., and Peters, B.A. (1998), A retrieval sequencing heuristic for miniload end-of-aisle automated storage/retrieval systems, *International Journal of Production Research* 36(6), 1715-1731.
- [350] Makris, P.A., and Giakoumakis, I.G. (2003), k-interchange heuristic as an optimization procedure for material handling applications, *Applied Mathematical Modelling* 27(5), 345-358.

- [351] Makris, P.A., Makri, A.P., and Provatidis, C.G. (2006), Energy-saving methodology for material handling applications, *Applied Energy* 83(10), 1116-1124.
- [352] Mallette, A.J., and Francis, R.L. (1972), A generalized assignment approach to optimal facility layout, *AIIE Transactions* 4(2), 144-147.
- [353] Malmborg, C.J. (1994), A heuristic model for simultaneous storage space allocation and block layout planning, *International Journal of Production Research* 32(3), 517-530.
- [354] Malmborg, C.J. (1995), Optimization of cube-per-order index warehouse layouts with zoning constraints, *International Journal of Production Research* 33(2), 465-482.
- [355] Malmborg, C.J. (1996), Storage assignment policy tradeoffs, *International Journal of Production Research* 34(2), 363-378.
- [356] Malmborg, C.J. (1996), An integrated storage system evaluation model, *Applied Mathematical Modelling* 20(5), 359-370.
- [357] Malmborg, C.J. (2000), Interleaving models for the analysis of twin shuttle automated storage and retrieval systems, *International Journal of Production Research* 38(18), 4599-4610.
- [358] Malmborg, C.J. (2001), Rule of thumb heuristics for configuring storage racks in automated storage and retrieval systems design, *International Journal of Production Research* 39(3), 511-527.
- [359] Malmborg, C.J. (2001), Estimating cycle type distributions in multi-shuttle automated storage and retrieval systems, *International Journal of Industrial Engineering* 8(2), 150-158.
- [360] Malmborg, C.J. (2002), Conceptualizing tools for autonomous vehicle storage and retrieval systems, *International Journal of Production Research* 40(8), 1807-1822.
- [361] Malmborg, C.J. (2003), Design optimization models for storage and retrieval systems using rail guided vehicles, *Applied Mathematical Modelling* 27, 929-941.
- [362] Malmborg, C.J. (2003) Estimation of collective item space requirements under randomized storage policies, *International Journal of Industrial Engineering* 10(2), 126-135.
- [363] Malmborg, C.J. (2003), Interleaving dynamics in autonomous vehicle storage and retrieval systems, *International Journal of Production Research* 41(5), 1057-1069.
- [364] Malmborg, C.J., and Al-Tassan, K. (1997), Approximating work cycle times in warehousing systems, *International Journal of Industrial Engineering* 4(1), 14-23.
- [365] Malmborg, C.J., and Altassan, K.M. (1998), Analysis of storage assignment policies in less than unit load warehousing systems, *International Journal of Production Research* 36(12), 3459-3475.
- [366] Malmborg, C.J., and Al-Tassan, K. (2000), An integrated performance model for order-picking systems with randomized storage, *Applied Mathematical modelling* 24(2), 95-111.
- [367] Malmborg, C.J., Balachandran, S., and Kyle, D.M. (1986), A model-based evaluation of a commonly used rule of thumb for warehouse layout, *Applied Mathematical Modelling* 10(2), 133-138.

- [368] Malmborg, C.J., and Bhaskaran, K. (1990), A revised proof of optimality for the cube-per-order index rule for stored item location, *Applied Mathematical Modelling* 14(2), 87-95.
- [369] Malmborg, C.J., and Deutsch, S.J. (1988), A stock location model for dual address order picking systems, *IIE Transactions* 20(1), 44-52.
- [370] Malmborg, C.J., and Krishnakumar, B (1987), On the optimality of the cube per order index for conventional warehouses with dual command cycles, *Material Flow* 4, 169-175.
- [371] Malmborg, C.J., and Krishnakumar, B. (1989), Optimal storage assignment policies for multiaddress warehousing systems, *IEEE Transactions on Systems, Man and Cybernetics* 19(1), 197-204.
- [372] Malmborg, C.J., Krishnakumar, B., and Simons, G.R. (1988), A mathematical overview of warehousing systems with single/dual order-picking cycles, *Applied Mathematical Modelling* 12(1), 2-8.
- [373] Manda, B.S., and Palekar, U.S. (1997), Recent advances in the design and analysis of material handling systems, *Journal of Manufacturing Science and Engineering* 119(4B), 841-848.
- [374] Mansuri, M. (1997), Cycle-time computation, and dedicated storage assignment, for AS/R systems, *Computers & Industrial Engineering* 33(1-2), 307-310.
- [375] Manzini, R. (2006), Correlated storage assignment in an order picking system, *International Journal of Industrial Engineering* 13(4), 384-394.
- [376] Manzini, R., Gamberi, M., Persona, A., and Regattieri, A. (2007), Design of a class based storage picker to product order picking system, *International Journal of Advanced Manufacturing Technology* 32(7-8), 811-821.
- [377] Manzini, R., Gamberi, M., and Regattieri, A. (2005), Design and control of a flexible order-picking systems (FOPS): a new integrated approach to the implementation of an expert system, *Journal of Manufacturing Technology Management* 16(1), 18-35.
- [378] Manzini, R., Gamberi, M., and Regattieri, A. (2006), Design and control of an AS/RS, *International Journal of Advanced Manufacturing Technology* 28(7-8), 766-774.
- [379] Marras, W.S., Granata, K.P., Davis, K.G., Allread, W.G., and Jorgensen, M.J. (1999), Effects of box features on spine loading during warehouse order selecting, *Ergonomics* 42(7), 980-996.
- [380] Marsh, W.H. (1979), Elements of block storage design, *International Journal of Production Research* 17(4), 377-394.
- [381] Marvel, J.H., Shell, R.L., and Weckman, G.R. (2001), An application of heuristic algorithms for determining inventory location in a distribution warehouse, *International Journal of Industrial Engineering* 8(1), 5-15.
- [382] Mason, S.J., Ribera, P.M., Farris, J.A., and Kirk, R.G. (2003), Integrating the warehousing and transportation functions of the supply chain, *Transportation Research Part E* 39(2), 141-159.

- [383] Matson, J.O., and White, J.A. (1982) Operational Research and material handling, *European Journal of Operational Research* 11, 309-318.
- [384] Maxwell, W.L., and Wilson, R.C. (1981), Dynamic network flow modeling of fixed path material handling systems, *AIIE Transactions* 13(1), 12-21.
- [385] McGinnis, L.F., Shieh, J.S., and White, J.A. (1987), Analysis of rotary rack operations, *Material Flow* 4(1), 43-53.
- [386] Meller, R.D. (1997), Optimal order-to-lane assignments in an order accumulation/sortation system, *IIE Transactions* 29(4), 293-301.
- [387] Meller, R.D., and Gau, K.Y. (1996), The facility layout problem: recent and emerging trends and perspectives, *Journal of Manufacturing Systems* 15(5), 351-366.
- [388] Meller, R.D., and Klote, J.E. (2004), A throughput model for carousel/VLM pods, *IIE Transactions* 36(8), 725-741.
- [389] Meller, R.D., and Mungwattana, A. (1997), Multi-shuttle automated storage/retrieval systems, *IIE Transactions* 29, 925-938.
- [390] Meller, R.D., and Mungwattana, A. (2005), AS/RS dwell-point strategy selection at high system utilization: a simulation study to investigate the magnitude of the benefit, *International Journal of Production Research* 43(24), 5217-5227.
- [391] Mineo, A.M., and Plaia, A. (1999), Multidimensional scaling and stock location assignment in a warehouse: An application, *Applied Stochastic Models in Business and Industry* 15(4), 387-392.
- [392] Mital, A. (1983), Generalized model structure for evaluating/designing manual material handling jobs, *International Journal of Production Research* 21(3), 401-412.
- [393] Mital, A., and Asfour, S.S. (1983), Material handling capacity of workers, *Material Flow* 1, 89-100.
- [394] Mital, A., and Wang, L.W. (1989), Effects on load handling of restricted and unrestricted shelf opening clearances, *Ergonomics* 32(1), 39-49.
- [395] Moder, J.J., and Thornton, H.M. (1965), Quantitative analyses of the factors affecting floor space utilization of palletized storage, *Journal of Industrial Engineering* 16(1), 8-18.
- [396] Mohan, S., and Miller, D.M. (2006), A simulation analysis to reduce shipping area congestion in a pharmaceutical distribution center, *International Journal of Industrial Engineering* 13(3), 299-309.
- [397] Monahan, J.P., and Berger, P.D. (1977), A transportation model for a consolidated warehouse system, *Zeitschrift für Operations Research* 21, 211.
- [398] Montulet, P., Langevin, A., and Riopel, D. (1997), Le problème de l'optimisation de l'entrepotage partagé: méthodes exacte et heuristique, *INFOR* 35(2), 138-153.
- [399] Montulet, P., Langevin, A., and Riopel, D. (1998), Minimizing the peak load: An alternate objective for dedicated storage policies, *International Journal of Production Research* 36(5), 1369-1385.

- [400] Moon, G., and Kim, G.P. (2001), Effects of relocation to AS/RS storage location policy with production quantity variation, *Computers & Industrial Engineering* 40(1-2), 1-13.
- [401] Morabito, R., and Morales, S. (1998), A simple and effective heuristic for the manufacturer's pallet loading problem, *Journal of the Operational Research Society* 49(8), 819-828.
- [402] Muralidharan, B., Linn, R.J., and Pandit, R. (1995), Shuffling heuristics for the storage location assignment in an AS/RS, *International Journal of Production Research* 33(6), 1661-1672.
- [403] Murphy, F.H., and Stohr E.A. (1978), A mathematical programming approach to the scheduling of sorting operations, *Naval Research Logistics Quarterly* 25, 155-167.
- [404] Muth, E.J. (1972), Analysis of closed-loop conveyor systems, *AIIE Transactions* 4(2), 134-143.
- [405] Muth, E.J. (1974), Analysis of closed-loop conveyor systems; the discrete flow case, *AIIE Transactions* 6(1), 73-83.
- [406] Muth, E.J. (1975), Modeling and system analysis of multistation close-loop conveyors, *International Journal of Production Research* 13(6), 559-566.
- [407] Muth, E.J. (1977), A model of a closed-loop conveyor with random material flow, *AIIE Transactions* 9(4), 345-351.
- [408] Muth, E.J., and White, J.A. (1979), Conveyor theory: a survey, *AIIE Transactions* 11(4), 270- 277.
- [409] Neal, F.L. (1962), Controlling warehouse handling costs by means of stock location audits, *Transportation and Distribution Management* 2, 31-33.
- [410] Nelißen, J. (1995), How to use structural constraints to compute an upper bound for the pallet loading problem, *European Journal of Operational Research* 84(3), 662-680.
- [411] Noble, J.S., Klein, C.M., and Midha, A. (1998), An integrated model of the material handling system and unit load design problem, *Journal of Manufacturing Science and Engineering* 120(4), 802-806.
- [412] Noorul Haq, A., Karthikeyan, T., and Dinesh, M. (2003), Scheduling decisions in FMS using a heuristic approach, *International Journal of Advanced Manufacturing Technology* 22(5-6), 374-379.
- [413] Oh, Y., Hwang, H., Cha, C.N., and Lee, S. (2006), A dock-door assignment problem for the Korean mail distribution center, *Computers & Industrial Engineering* 51(2), 288-296.
- [414] Ohta, H. (1979), GERT analysis of a single conveyor system, *International Journal of Production Research* 17(4), 405-410.
- [415] Oliveira, J.A. (2007), Scheduling the truckload operations in automatic warehouses, *European Journal Of Operational Research* 179(3), 723-735.
- [416] Ottjes, J.A., Hoogenens, E. (1988), Order picking and traffic simulation in distribution centres, *International Journal Prod. Dist. Mfg. Mgmt.* 18, 14-21.

- [417] Owyong, M., and Yih, Y. (2006), Picklist generation algorithm with order-consolidation consideration for split-case module-based fulfilment centres, *International Journal of Production Research* 44(21), 4529-4550.
- [418] Özer, Ö. (2003), Replenishment strategies for distribution systems under advance demand information, *Management Science* 49(3), 255-272.
- [419] Pan, C.H., and Liu, S.Y. (1995), A comparative study of order batching algorithms, *Omega International Journal of Management Science* 23(6), 691-700.
- [420] Pan, C.H., and Wang, C.H. (1996), A framework for the dual command cycle travel time model in automated warehousing systems, *International Journal of Production Research* 34(8), 2099-2117.
- [421] Pandit, R., and Palekar, U.S. (1993), Response time considerations for optimal warehouse layout design, *Journal of Engineering for Industry* 115, 322-328.
- [422] Park, B.C. (1999), Optimal dwell point policies for automated storage/retrieval systems with dedicated storage, *IIE Transactions* 31, 1011-1013.
- [423] Park, B.C. (2001), An optimal dwell point policy for automated storage/retrieval systems with uniformly distributed, rectangular racks, *International Journal of Production Research* 39(7), 1469-1480.
- [424] Park, B.C. (2006), Performance of automated storage/retrieval systems with non-square-in-time racks and two-class storage, *International Journal of Production Research* 44(6), 1107-1123.
- [425] Park, B.C., Foley, R.D., and Frazelle, E.H. (2006), Performance of miniload systems with two-class storage, *European Journal of Operational Research* 170, 144-155
- [426] Park, B.C., Foley, R.D., White, J.A., and Frazelle, E.H. (2003), Dual command travel times and miniload system throughput with turnover-based storage, *IIE Transactions* 35(4), 343-355.
- [427] Park, B.C., Frazelle, E.H., and White, J.A. (1999), Buffer sizing models for end-of-aisle order picking systems, *IIE Transactions* 31(1), 31-38.
- [428] Park, B.C., and Lee, M.K. (2007), Closest open location rule under stochastic demand, *International Journal of Production Research* 45(7), 1695-1705.
- [429] Park, B.C., Park, J.Y., and Foley, R.D. (2003), Carousel system performance, *Journal of Applied Probability* 40(3), 602-612.
- [430] Park, B.C., and Rhee, Y. (2005), Performance of carousel systems with 'organ-pipe' storage, *International Journal of Production Research* 43(21), 4685-4695.
- [431] Park, Y.H., and Webster, D.B. (1989), Design of class-based storage racks for minimizing travel time in a three-dimensional storage system, *International Journal of Production Research* 27(9), 1589-1601.
- [432] Park, Y.H., and Webster, D.B. (1989), Modelling of three-dimensional warehouse systems, *International Journal of Production Research* 27(6), 985-1003.

- [433] Penington, R.A., and Tanchoco, J.M.A. (1988), Robotic palletization of multiple box sizes, *International Journal of Production Research* 26(1), 95-105.
- [434] Perlmann, A.M., and Bailey, M. (1988), Warehouse logistic systems - a CAD model, *Engineering Costs and Production Economics* 13(3), 229-237.
- [435] Peters, B.A., Smith, J.S., and Hale, T.S. (1996), Closed form models for determining the optimal dwell point location in automated storage and retrieval systems, *International Journal of Production Research* 34(6), 1757-1771.
- [436] Petersen, C.G. (1997), An evaluation of order picking routeing policies, *International Journal of Operations & Production Management* 17(11), 1098-1111.
- [437] Petersen, C.G. (1999), The impact of routing and storage policies on warehouse efficiency, *International Journal of Operations & Production Management* 19(10), 1053-1064.
- [438] Petersen, C.G. (2000), An evaluation of order picking policies for mail order companies, *Production and Operations Management* 9(4), 319-335.
- [439] Petersen, C.G. (2002), Considerations in order picking zone configuration, *International Journal of Operations & Production Management* 22(7-8), 793-805.
- [440] Petersen, C.G., and Aase, G. (2004), A comparison of picking, storage, and routing policies in manual order picking, *International Journal of Production Economics* 92, 11-19.
- [441] Petersen, C.G., Aase, G.R., and Heiser, D.R. (2004), Improving order-picking performance through the implementation of class-based storage, *International Journal of Physical Distribution & Logistics Management* 34(7), 534-544.
- [442] Petersen, C.G., and Schmenner, R.W. (1999), An evaluation of routing and volume-based storage policies in an order picking operation, *Decision Sciences* 30(2), 481-501.
- [443] Petersen, C.G., Siu, C., and Heiser, D.R. (2005), Improving order picking performance utilizing slotting and golden zone storage, *International Journal of Operations & Production Management* 25(10), 997-1012.
- [444] Petinis, V.V., Tarantilis, C.D., and Kiranioudis, C.T. (2005), Warehouse sizing and inventory scheduling for multiple stock-keeping products, *International Journal of Systems Science* 36(1), 39-47.
- [445] Piroird, F., and Dale, B.G. (1998), The importance of lead time control in the order fulfilment process, *Production Planning & Control* 9(7), 640-649.
- [446] Pliskin, J.S., and Dori, D. (1982), Ranking alternative warehouse area assignments: a multiattribute approach, *IIE Transactions* 14(1), 19-26.
- [447] Potrc, I., Lerher, T., Kramberger, J., and Šraml, M. (2004), Simulation model of multi-shuttle automated storage and retrieval systems, *Journal of Materials Processing Technology* 157, 236-244.
- [448] Potrč, L., Lerher, T., Kramberger, J., and Šraml, M. (2004), The design of automated storage and retrieval systems using a simulation modeling approach, *Strojnikski Vestnik - Journal of Mechanical Engineering* 50(11), 504-529.

- [449] Potts, C.N., and Kovalyov, M.Y. (2000), Scheduling with batching: a review, *European Journal of Operational Research* 120(2), 228-249.
- [450] Poulos, P.N., Rigatos, G.G., Tzafestas, S.G., and Koukos, A.K. (2001), A Pareto-optimal genetic algorithm for warehouse multi-objective optimization, *Engineering Applications of Artificial Intelligence* 14(6), 737-749.
- [451] Pourbabai, B. (1987), Performance modeling of a closed loop material handling system, *European Journal of Operational Research* 32(3), 340-352.
- [452] Prager, W. (1957), On warehousing problems, *Operations Research* 5(4), 504-512.
- [453] Pritsker, A.A.B. (1966), Application of multichannel queueing results to the analysis of conveyor systems, *Journal of Industrial Engineering* 17(1), 14-21.
- [454] Proctor, C.L., El Sayed, E.A., and Elayat, H.A. (1977), A conveyor system with homogeneous servers with dual input, *International Journal of Production Research* 15(1), 73-85.
- [455] Pulat, P.S., and Pulat, B.M. (1989), Throughput analysis an an automated material handling system, *Simulation* 52(5), 195-198.
- [456] Puls, F.M., and Tanchoco, J.M.A. (1986), Robotic implementation of pallet loading patterns, *International Journal of Production Research* 24(3), 635-645.
- [457] Punniyamoorthy, M., and Vijaya Ragavan, P. (2005), Justification of automatic storage and retrieval system (AS/RS) in a heavy engineering industry, *International Journal of Advanced Manufacturing Technology* 26(5-6), 653-658.
- [458] Ram, B. (1992), The pallet loading problem: a survey, *International Journal of Production Economics* 28, 217-225.
- [459] Ramaswamy, S., and Valavanis, K.P. (1994), Modeling, analysis and simulation of failures in a material handling systems with extended Petri net, *IEEE Transactions on System, Man and Cybernetics* 24(9), 1358-1373.
- [460] Rana, K. (1990) Order picking in narrow-aisle warehouses, *International Journal of Physical Distribution and Logistics Management* 20(2), 9-15.
- [461] Randhawa, S.U., McDowell, E.D., and Wang W.T. (1991), Evaluation of scheduling rules for single- and dual-dock automated storage/retrieval system, *Computers & Industrial Engineering* 20(4), 401-410.
- [462] Randhawa, S.U., and Shroff, R. (1995), Simulation-based design evaluation of unit load automated storage/retrieval systems, *Computers & Industrial Engineering* 28(1), 71-79.
- [463] Rao, A.K., and Rao, M.R. (1998), Solution procedures for sizing of warehouses, *European Journal of Operational Research* 108(1), 16-25.
- [464] Ratliff, H.D., and Rosenthal, A.S. (1983), Orderpicking in a rectangular warehouse: a solvable case of the traveling salesman problem, *Operations Research* 31(3), 507-521.
- [465] Rau, H., and Yin, Y.L. (2007), Dual commands dispatching of a class-based unit-load automated storage and retrieval system using multi-pass simulation with generic algorithm, *International Journal of Advanced Manufacturing Technology* 33(5-6), 530-539.

- [466] Rawson-Gardiner, C. (1992), Warehousing: are developers maximising opportunities?, *International Journal of Physical Distribution and Logistics Management* 11, 2-5.
- [467] Reis, I.L., and Hatcher, J.M. (1963), Probabilistic conveyor analysis, *International Journal of Production Research* 2(3), 186-194.
- [468] Reis, I.L., Dunlap, L.L., and Schneider, M.H. (1963), Conveyor theory: the individual station, *Journal of Industrial Engineering* 14(4), 212-217.
- [469] Rethmann, J., and Wanke, E. (1997), Storage controlled pile-up systems, theoretical foundations, *European Journal of Operational Research* 103, 515-530.
- [470] Rethmann, J., and Wanke, E. (2001), Stack-up algorithms for palletizing at delivery industry, *European Journal of Operational Research* 128, 74-97.
- [471] Riaz Khan, M. (1984), An efficiency measurement model for a computerized warehousing system, *International Journal of Production Research* 22(3), 443-452.
- [472] Richman, E. (1955), The material handling function, *Journal of Industrial Engineering* 6(2), 14-15.
- [473] Roberts, S.D., and Reed, R. (1972), Optimal warehouse bay configurations, *AIIE Transactions* 4(3), 178-185.
- [474] Rogers, D.S., Daugherty, P.J., and Ellinger, A.E. (1996), The relationship between information technology and warehousing performance, *Logistics and Transportation Review* 32(4), 409-421.
- [475] Roll, Y., and Rosenblatt, M.J. (1983), Random versus grouped storage policies and their effect on warehouse capacity, *Material Flow* 1, 199-205.
- [476] Roll, Y., and Rosenblatt, M.J. (1987), Shifting in warehouses, *Material Flow* 4(3), 147-157.
- [477] Roll, Y., Rosenblatt, M.J., and Kadosh, D. (1989), Determining the size of a warehouse container, *International Journal of Production Research* 27(10), 1693-1704.
- [478] Roodbergen, K.J., and De Koster, R. (2001), Routing order pickers in a warehouse with a middle aisle, *European Journal of Operational Research* 133(1), 32-43.
- [479] Roodbergen, K.J., and De Koster, R. (2001), Routing methods for warehouses with multiple cross aisles, *International Journal of Production Research* 39(9), 1865-1883.
- [480] Roodbergen, K.J., and Vis, I.F.A. (2006) A model for warehouse layout, *IIE Transactions* 38(10), 799-811.
- [481] Rosa, L.M., and Feiring, B.R. (1995), Layout problem for an aircraft maintenance company tool room, *International Journal of Production Economics* 40(2-3), 219-230.
- [482] Rosenblatt, M.J., and Eynan, A. (1989), Deriving the optimal boundaries for class-based automatic storage/retrieval systems, *Management Science* 35(12), 1519-1524.
- [483] Rosenblatt, M.J., and Roll, Y. (1984), Warehouse design with storage policy considerations, *International Journal of Production Research* 22(5), 809-821.

- [484] Rosenblatt, M.J., and Roll, Y. (1988), Warehouse capacity in a stochastic environment, *International Journal of Production Research* 26(12), 1847-1851.
- [485] Rosenblatt, M.J., Roll, Y., and Zyser, V. (1993), A combined optimization and simulation approach for designing automated storage/retrieval systems, *IIE Transactions* 25(1), 40-50.
- [486] Rosenwein, M.B. (1994), An application of cluster analysis to the problem of locating items within a warehouse, *IIE Transactions* 26(1), 101-103.
- [487] Rosenwein, M.B. (1996), A comparison of heuristics for the problem of batching orders for warehouse selection, *International Journal of Production Research* 34(3), 657-664.
- [488] Rouwenhorst, B., Reuter, B., Stockrahm, V., Van Houtum, G.J., Mantel, R.J., and Zijm, W.H.M. (2000), Warehouse design and control: framework and literature review, *European Journal of Operational Research* 122, 515-533.
- [489] Ruben, R.A., and Jacobs, F.R. (1999), Batch construction heuristics and storage assignment strategies for walk/ride and pick systems, *Management Science* 45(4), 575-596.
- [490] Rushton, A.S., and Williams, J.M. (1983), The cost of material handling to the economy: part 1, *Material Flow* 1(1), 3-11.
- [491] Rushton, A.S., and Williams, J.M. (1983), The cost of material handling to the economy: part 2, *Material Flow* 1(2), 101-107.
- [492] Russell, M.L., and Meller, R.D. (2003), Cost and throughput modeling of manual and automated order fulfillment systems, *IIE Transactions* 35(7), 589-603.
- [493] Ryan, B., and Haslegrave, C.M. (2007), Use of concurrent and retrospective verbal protocols to investigate workers' thoughts during a manual-handling task, *Applied Ergonomics* 38(2), 177-190.
- [494] Sadiq, M., Landers, T.L., and Taylor, G.D. (1996), An assignment algorithm for dynamic picking systems, *IIE Transactions* 28, 607-616.
- [495] Sari, Z., Grasman, S.E., and Ghouali, N. (2007), Impact of pickup/delivery stations and restoring conveyor locations on retrieval time models of flow-rack automated storage and retrieval systems, *Production Planning & Control* 18(2), 105-116.
- [496] Sari, Z., Saygin, C., and Ghouali, N. (2005), Travel-time models for flow-rack automated storage and retrieval systems, *International Journal of Advanced Manufacturing Technology* 25(9-10), 979-987.
- [497] Sarker, B.R., and Babu, P.S. (1995), Travel time models in automated storage/retrieval systems: A critical review, *International Journal of Production Economics* 40(2-3), 173-184.
- [498] Sarker, B.R., Mann, L., and Leal Dos Santos, J.R.G. (1994), Evaluation of a class-based storage scheduling technique applied to dual-shuttle automated storage and retrieval systems, *Production Planning & Control* 5(5), 442-449.

- [499] Sarker, B.R., Sabapathy, A., Lal, A.M., and Han, M.H. (1991), Performance evaluation of a double shuttle automated storage and retrieval system, *Production Planning & Control* 2(3), 207-213.
- [500] Sarrafzadeh, M., and Maddila, S.R. (1995), Discrete warehouse problem, *Theoretical Computer Science* 140(2), 231-247.
- [501] Saxena, U., and Steudel, H. (1973), Estimation of storage space requirements using multiple regression, *International Journal of Production Research* 11(3), 239-245.
- [502] Schall, S., and Chandra, J. (1989), Multiple product inventory policies with unit load and storage space considerations, *Engineering Costs and Production Economics* 16(4), 245-256.
- [503] Scheithauer, G., and Terno, J. (1996), The G4-heuristic for the pallet loading problem, *Journal of the Operational Research Society* 47(4), 511-522.
- [504] Schmidt, L.C., and Jackman, J. (2000), Modeling recirculating conveyors with blocking, *European Journal of Operational Research* 124, 422-436.
- [505] Schwarz, J. (1969), Rotary racking system according to a simple principle, *Foerdern und Heben* 19(12), 761-769.
- [506] Schwarz, L.B., Graves, S.C., and Hausman, W.H. (1978) Scheduling policies for automatic warehousing systems: simulation results, *AIIE Transactions* 10(3), 260-270.
- [507] Seidmann, A. (1988), Intelligent control schemes for automated storage and retrieval systems, *International Journal of Production Research* 26(5), 931-952.
- [508] Shapiro, B.P., Rangan, V.K, and Sviokla, J.J. (1992), Staple yourself to an order, *Harvard Business Review* 70(4), 113-122.
- [509] Shunmugam, M.S., Krishnamachar, A., and Prasad, P.S. (1985), Computer-aided warehouse layout, *Material Flow* 2, 151-156.
- [510] Simpson, N.C., and Erenguc, S.S. (2001), Modeling the order picking function in supply chain systems: formulation, experimentation, and insights, *IIE Transactions* 33, 119-130.
- [511] Skufca, J.D. (2005), k workers in a circular warehouse: A random walk on a circle, without passing, *SIAM Review* 47(2), 301-314.
- [512] Smith, D., and De Cani, P. (1980), An algorithm to optimize the layout of boxes in pallets, *Journal of the Operational Research Society* 31(7), 573-578.
- [513] Solman, K.N. (2002), Analysis of interaction quality in human-machine systems: applications for forklifts, *Applied Ergonomics* 33(2), 155-166.
- [514] Sonderman, D. (1982), An analytical model for recirculating conveyors with stochastic inputs and outputs, *International Journal of Production Research* 20(5), 591-605.
- [515] Stadtler, H. (1996), An operational planning concept for deep lane storage systems, *Production and Operations Management* 5(3), 266-282.
- [516] Steudel, H.J. (1979), Generating pallet loading patterns: A special case of the two-dimensional cutting stock problem, *Management Science* 25(10), 997-1004.

- [517] Steudel, H.J. (1982), Determination of economic pallet size for in-plant handling, *Material Flow* 1, 71-76.
- [518] Steudel, H.J. (1984), Generating pallet loading patterns with considerations of item stacking on end and side surfaces, *Journal of Manufacturing Systems* 3, 135-143.
- [519] St-Vincent, M., Denis, D., Imbeau, D., and Laberge, M. (2005), Work factors affecting manual materials handling in a warehouse superstore, *International Journal of Industrial Ergonomics* 35(1), 33-46.
- [520] Su, C. (1998), Performance evaluations of carousel operation, *Production Planning and Control* 9(5), 477-488.
- [521] Sung, C.S., and Han, Y.H. (1992), Determination of automated storage/retrieval system size, *Engineering Optimization* 19(4), 269-286.
- [522] Svestka, J.A. (1989), Interactive and graphic implementations of the dedicated storage warehouse design model, *Computers & Industrial Engineering* 17(1-4), 49-54.
- [523] Swain, R.W., and Marsh, J.J. (1987), A simulation analysis of an automated hospital materials handling system, *AIIE Transactions* 10(1), 10-18.
- [524] Taboun S.M., and Bhole S.D. (1993), A simulator for an automated warehousing system, *Computers & Industrial Engineering* 24(2), 281-290.
- [525] Tanchoco, J.M.A., Davis, R.P., Egbelu, P.J., and Wysk, R.A. (1983), Economic unit loads (EUL) for multi-product inventory systems with limited storage space, *Material Flow* 1, 141-148.
- [526] Tanchoco, J.M.A., Davis, R.P., and Wysk, R.A. (1980), Economic order quantities based on unit-load and material handling considerations, *Decision Sciences* 11, 514-521.
- [527] Tang, L.C., and Chew, E.K. (1997), Order picking systems: batching and storage assignment strategies, *Computers & Industrial Engineering* 33(3-4), 817-820.
- [528] Tarnowski, A.G., Terno, J., and Scheithauer, G. (1994), A polynomial time algorithm for the guillotine pallet loading problem, *INFOR* 32(4), 275-287.
- [529] Terno, J., Scheithauer, G., Sommerweiß, U., and Riehme, J. (2000), An efficient approach for the multi-pallet loading problem, *European Journal of Operational Research* 123, 372-381.
- [530] Terry, W.R., Rao, H.G., and Son, J.Y. (1988), Application of a computer-based approach to designing real-time control software for an integrated robotic assembly and automated storage/retrieval system, *International Journal of Production Research* 26(10), 1593-1604.
- [531] Thonemann, U.W., and Brandeau, M.L. (1998), Note. Optimal storage assignment policies for automated storage and retrieval systems with stochastic demands, *Management Science* 44(1), 142-148.
- [532] Ting, J.H., and Tanchoco, J.M.A. (2001), Optimal bidirectional spine layout for overhead material handling systems, *IEEE Transactions on Semiconductor Manufacturing* 14(1), 57-64.

- [533] Trevino, J., Liao, F., and Chopra, S. (1994), Cardes - Carousel design, *International Journal of Production Research* 32(5), 1013-1026.
- [534] Tsai, R.D., Malstrom, E.M., and Kuo, W. (1993), Three dimensional palletization of mixed box sizes, *IIE Transactions* 25(4), 64-75.
- [535] Tsai, R.D., Malstrom, E.M., and Kuo, W. (1994), Physical simulation of a three dimensional palletizing heuristic, *International Journal of Production Research* 32(5), 1159-1171.
- [536] Tsai, R.D., Malstrom, E.M., and Meeks, H.D. (1988), A two-dimensional palletizing procedure for warehouse loading operations, *IIE Transactions* 20(4), 418-425.
- [537] Tsui, L.Y., and Chang, C.H. (1990), A microcomputer based decision support tool for assigning dock doors in freight yards, *Computers & Industrial Engineering* 19(1-4), 309-312.
- [538] Tsui, L.Y., and Chang, C.H. (1992), An optimal solution to a dock door assignment problem, *Computers & Industrial Engineering* 23(1-4), 283-286.
- [539] Van den Berg, J.P. (1996), Class-based storage allocation in a single command warehouse with space requirement constraints, *International Journal of Industrial Engineering* 3(1), 21-28.
- [540] Van den Berg, J.P. (1996), Multiple order pick sequencing in a carousel system: A solvable case of the rural postman problem, *Journal of the Operational Research Society* 47(12), 1504-1515.
- [541] Van den Berg, J.P. (1999), A literature survey on planning and control of warehousing systems, *IIE Transactions* 31, 751-762.
- [542] Van den Berg, J.P. (2002), Analytic expressions for the optimal dwell point in an automated storage/retrieval system, *International Journal of Production Economics* 76, 13-25.
- [543] Van den Berg, J.P., and Gademann, A.J.R.M. (1999), Optimal routing in an automated storage/retrieval system with dedicated storage, *IIE Transactions* 31(5), 407-415.
- [544] Van den Berg, J.P., and Gademann, A.J.R.M. (2000), Simulation study of an automated storage/retrieval system, *International Journal of Production Research* 38(6), 1339-1356.
- [545] Van den Berg, J.P., Sharp, G.P., Gademann, A.J.R.M., and Pochet, Y (1998), Forward-reserve allocation in a warehouse with unit-load replenishments, *European Journal of Operational Research* 111, 98-113.
- [546] Van den Berg, J.P., and Zijm, W.H.M. (1999), Models for warehouse management: classification and examples, *International Journal of Production Economics* 59, 519-528.
- [547] Van Oudheusden, D.L., Tzen, Y.J.J., and Ko, H.T. (1988), Improving storage and order picking in a person-on-board AS/R system: a case study, *Engineering Costs and Production Economics* 13(4), 273- 283.
- [548] Van Oudheusden, D.L., and Zhu, W. (1992), Storage layout of AS/RS racks based on recurrent orders, *European Journal of Operational Research* 58(1), 48-56.

- [549] Vaughan, T.S., and Petersen, C.G. (1999), The effect of warehouse cross aisles on order picking efficiency, *International Journal of Production Research* 37(4), 881-897.
- [550] Vickson, R.G., and Fujimoto, A. (1996), Optimal storage locations in a carousel storage and retrieval system, *Location Science* 4(4), 237-245.
- [551] Vickson, R.G., and Lu, X. (1998), Optimal product and server locations in one-dimensional storage racks, *European Journal of Operational Research*, 105, 18-28.
- [552] Vlasiou, M., Adan, I.J.B.F., and Wessels, J. (2004), A Lindley-type equation arising from a carousel problem, *Journal of Applied Probability* 41(4), 1171-1181.
- [553] Vrgoc, M., and Cerić, V. (1988), Investigation and design of parcel sorting systems in postal centres by simulation, *Computers in Industry* 10(2), 137-145.
- [554] Wan, Y., and Wolff, R.W. (2004), Picking clumpy orders on a carousel, *Probability in the Engineering and Informational Sciences* 18(1), 1-11.
- [555] Wang, J.Y., and Yih, Y. (1997), Using neural networks to select a control strategy for automated storage and retrieval systems (AS/RS), *International Journal of Computer Integrated Manufacturing* 10(6), 487-495.
- [556] Warnecke, H.J., Dangelmaier, W., and Kühnle, H. (1982), Computer-aided layout planning, *Material Flow* 1, 35-48.
- [557] Webster, D.B., and Reed, R. (1971), A material handling system selection model, *AIIE Transactions* 3(1), 13-21.
- [558] Wen, U.P., and Chang, D.T. (1988), Picking rules for a carousel conveyor in an automated warehouse, *OMEGA International Journal of Management Science* 16(2), 145-151.
- [559] Wen, U.P., Chang, D.T., and Chen, S.P. (2001), The impact of acceleration/deceleration on travel-time models in class-based automated S/R systems, *IIE Transactions* 33, 599-608.
- [560] White, J.A., and Francis, R.L. (1971), Solving a segregated storage problem using branch-and-bound and extreme point ranking methods, *AIIE Transactions* 3(1), 37-44.
- [561] White, J.A., and Francis, R.L. (1971), Normative models for some warehouse sizing problems, *AIIE Transactions* 3(3), 185-190.
- [562] Wilhelm, W.E., and Wang, L. (1986), Management of component accumulation in small-lot assembly systems, *Manufacturing Systems* 5(1), 27-40.
- [563] Wilson, H.G. (1977), Order quantity, product popularity, and the location of stock in a warehouse, *AIIE Transactions* 9(3), 230-237.
- [564] Won, J., and Olafsson, S. (2005), Joint order batching and order picking in warehouse operations, *International Journal of Production Research* 43(7), 1427-1442.
- [565] Wong, M.M., Tan, C.H., Zhang, J.B., Zhuang, L.Q., Zhao, Y.Z., and Luo, M. (2007), On-line reconfiguration to enhance the routing flexibility of complex automated material handling operations, *Robotics and Computer-integrated Manufacturing* 23(3), 294-304.

- [566] Wu, C. (2006), Applying frequent itemset mining to identify a small itemset that satisfies a large percentage of orders in a warehouse, *Computers & Operations Research* 33, 3161-3170.
- [567] Xie, X., Sharp, G.P., and Dickerson, S. (1996), Order accumulation and sorting using an automated storage and retrieval system, *Manufacturing Science and Engineering* 1996 MED-Vol. 4, 813-822.
- [568] Xu, D.S., Shi, N., and Cheung, R.K. (2007), Heavy traffic analysis of a single vehicle loop in an automated storage and retrieval system, *OR Spectrum* 29(3), 489-512.
- [569] Xue, J., and Proth, J.M. (1987), Study of a closed loop conveyor system, *INFOR* 25(1), 84-92.
- [570] Yang, M.H. (2001), An efficient algorithm to allocate shelf space, *European Journal of Operational Research* 131, 107-118.
- [571] Yano, C.A., Bozer, Y., and Kamoun, M. (1998), Optimizing dock configuration and staffing in decentralized receiving, *IIE Transactions* 30, 657-668.
- [572] Yin, Y.L., and Rau, H. (2006), Dynamic selection of sequencing rules for a class-based unit-load automated storage and retrieval system, *International Journal of Advanced Manufacturing Technology* 29(11-12), 1259-1266.
- [573] Yoon, C.S., and Sharp, G.P. (1995), Example application of the cognitive design procedure for an order pick system: case study, *European Journal of Operational Research* 87, 223-246.
- [574] Yoon, C.S., and Sharp, G.P. (1996), A structured procedure for analysis and design of order pick systems, *IIE Transactions* 28, 379-389.
- [575] Zebrowski, E.R. (1968), The use of a computer in the development and control of warehousing, *Journal of Industrial Engineering* 19(1), 38-47.
- [576] Zhang, G.Q., Xue, J., and Lai, K.K. (2002), A class of genetic algorithms for multiple-level warehouse layout problems, *International Journal of Production Research* 40(3), 731-744.
- [577] Zhang, G.Q., and Lai, K.K. (2006), Combining path relinking and genetic algorithms for the multiple-level warehouse layout problem, *European Journal of Operational Research* 169(2), 413-425.
- [578] Zhou, Z., Li, L. (2003), Single hoist cyclic scheduling with multiple tanks: a material handling solution, *Computers & Operations Research* 30(6), 811-819.
- [579] Zrnić Dj.N., Čuprić N.Lj., and Radenković B.Lj. (1992), A study of material flow systems (input/output) in high-bay warehouses, *International Journal of Production Research* 30(9), 2137-2149.

2 Ph.D. theses

References

- [1] Abdel-Hamid, A.A.A. (1994), Combinatorial optimization problems arising in the design and management of an automatic storage system, Ph.D. thesis, Technical University Berlin, Germany.
- [2] Bafna, K.M. (1972), An analytical approach to design high-rise stacker crane warehouse systems, Ph.D. thesis, Purdue University, Lafayette, IN.
- [3] Bhaskaran, K. (1988), Modeling and analytical foundations of the stochastic, multiple objective optimization problem for integrated warehouse operations, Ph.D. thesis, Rensselaer Polytechnic Institute, Troy, NY.
- [4] Bozer, Y.A. (1985), Optimizing throughput performance in designing order picking systems, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [5] Broekmeulen, R.A.C.M. (1998), Layout and operations management of distribution centers for perishables, Ph.D. thesis, Eindhoven University of Technology, The Netherlands.
- [6] Carlo, H.J. (2007), Door assignment and sequencing problems in crossdocks and container terminals, Ph.D. Thesis, University of Michigan, Ann Arbor, MI.
- [7] Choe, K.-I. (1991), Aisle-based order pick systems with batching, zoning and sorting, Ph.D. thesis, Georgia Institute of Technology, Atlanta, GA.
- [8] Cormier, G. (1994), Modelling and analysis for capacity expansion planning in warehousing, Ph.D. thesis, Technical university of Nova Scotia, Halifax, Nova Scotia.
- [9] Cullinane, T.P. (1972), A transient analysis of two link fixed conveyor systems, Ph.D. thesis, Virginia Polytechnic Institute and State University, Blacksburg.
- [10] Dowsland, K.A. (1985), Graph theory and OR - an exact solution for the pallet loading problem, Ph.D. thesis, University of Swansea, UK.
- [11] Eldemir, F. (2003), Analytical conception for integrated material handling systems, Ph.D. thesis, Rensselaer Polytechnic Institute, Troy, NY.
- [12] Elsayed, E.A. (1976), Closed-loop conveyor systems with multiple Poisson input and multiple servers, Ph.D. thesis, University of Windsor, Canada.
- [13] Frazelle, E.H. (1990), Stock location assignment and order batching productivity, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [14] Goetschalckx, M. (1983), Storage and retrieval policies for efficient order picking operations, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [15] Gue, K.R. (1995), Freight terminal layout and operations, Ph.D. thesis, Georgia Institute of Technology, Atlanta, GA.
- [16] Heikes, R.G. (1971), A Markov chain model of a closed loop conveyor system, Ph.D. thesis, Texas Tech University, Lubbock.

- [17] Hollingsworth, K.B. (1995), A warehouse benchmarking model utilizing frontier production functions, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [18] Kim, B.I. (2002), Intelligent agent based planning, scheduling, and control: warehouse management application, Ph.D. thesis, Rensselaer Polytechnic Institute, Troy, NY.
- [19] Lim, S. (1990), Zoning in storage systems, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [20] Linn, R.J. (1987), An expert system approach to the control of an automated storage/retrieval system, Ph.D. thesis, Department of Industrial Engineering, Pennsylvania State University.
- [21] Liu, F.F. (1988), Analytical approaches for designing a class of material flow systems, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [22] Matson, J.O. (1982), The analysis of selected unit load storage systems, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [23] Miebach, J. (1971), Die Grundlagen einer systembezogenen Planung von Stückgutlagern, dargestellt am Beispiel eines Kommissionierlagers, Ph.D. thesis, Technische Universität, Berlin.
- [24] Nawijn, W.M. (1983), Stochastic conveyor systems, Ph.D. thesis, University of Twente, Enschede, The Netherlands.
- [25] Nelißen, J. (1994), Neue Ansätze zur Lösung des Palettenbeladungsproblems, Ph.D. thesis, RWTH Aachen, Germany.
- [26] Park, B.C. (1991), Analytical models and optimal strategies for automated storage/retrieval system operations, Ph.D. Thesis, Georgia Institute of Technology, Atlanta, GA.
- [27] Park, Y.H. (1986), Modeling of three dimensional warehouse systems, Ph.D. thesis, Auburn University.
- [28] Peck, K.E. (1983), Operational analysis of freight terminals handling less than container load shipments, Ph.D. thesis, University of Illinois at Urbana-Champaign.
- [29] Phillips, D.T. (1969), A Markovian analysis of conveyor-serviced ordered entry queuing systems with multiple servers and multiple queues, Ph.D. thesis, University of Arkansas.
- [30] Roberts, S.D. (1968), Warehouse size and design, Ph.D. thesis, Purdue University, West Lafayette, IL.
- [31] Roodbergen, K.J. (2001), Layout and routing methods for warehouses, Ph.D. thesis, Erasmus University, Rotterdam, The Netherlands.
- [32] Sadiq, M. (1993), A hybrid clustering algorithm for reconfiguration of dynamic order picking systems, Ph.D. thesis, Industrial Engineering Department, University of Arkansas, Fayetteville, AR.
- [33] Shieh, J.S. (1985), On the analysis of selected automated storage and retrieval systems, Ph.D. thesis, Georgia Institute of Technology, Atlanta, GA.

- [34] Tabibzadeh, K. (1985), An expert system approach to material handling problems, Ph.D. thesis, University of Houston, Houston, TX.
- [35] Tsai, D.M. (1987), Modeling and analysis of three dimensional robotic palletizing system for mixed carton sizes, Ph.D. Thesis, Iowa State University, Ames, Iowa.
- [36] Van Dal, I.S.C. (1992), Special cases of the traveling salesman problem, Ph.D. thesis, University of Groningen, The Netherlands.
- [37] Van den Berg, J.P. (1996), Planning and control of warehousing systems, Ph.D. Thesis, University of Twente, The Netherlands.
- [38] Van der Meer, J.R. (2000), Operational control of internal transport, Ph.D. thesis, Erasmus University Rotterdam, The Netherlands.
- [39] Vis, I.F.A. (2002), Planning and control concepts for material handling systems, Ph.D. thesis, Erasmus University, Rotterdam, The Netherlands.
- [40] Yang, M. (1988), Analysis and optimization of class-based dedicated storage systems, Ph.D. Thesis, Georgia Institute of Technology, Atlanta,GA.
- [41] Yoon, C.S. (1991), A structured procedure for order pick system analysis and design, Ph.D. Thesis, Georgia Institute of Technology, Atlanta,GA.

3 Books

References

- [1] Ackerman, K.B. (1990), *Practical Handbook of Warehousing*, VanNorstrand Reinhold, New York.
- [2] Adams, N.D., Firth, R., Brown, T.W., and Misenheimer, L.P. (1996), *Warehouse & Distribution Automation Handbook*, McGraw-Hill.
- [3] Apple, J.M. (1950), *Plant layout and Materials Handling*, The Ronald Press Company, New York.
- [4] Apple, J.M. (1972), *Material Handling System Design*, The Ronald Press Company, New York.
- [5] Barker, C.H. (1950), *Industrial Materials Handling*, The Lincoln Extension Institute, Incorporated, Cleveland, Ohio.
- [6] Burton, J.A. (1981), *Effective warehousing*, 3rd ed., McDonald & Evans Ltd., Plymouth.
- [7] Chorafas, D.N. (1974), *Warehouse planning, Organizing and Controlling the Storage and Distribution of Goods*, Macmillan Press Ltd., London.
- [8] Eastman, R.M. (1987), *Materials Handling*, Marcel Dekker Inc.
- [9] Falcon, P., and Drury, J. (1975), *Building and Planning for Industrial Storage and Distribution*, Halsted Press, New York.
- [10] Francis, R.L. McGinnis, L.F., Jr., and White, J.A. (1992), *Facility Layout and Location: an Analytical Approach*, 2nd ed., Prentice Hall, Englewood Cliffs, NJ.
- [11] Francis, R.L., and White, J.A. (1974), *Facility layout and location: an analytical approach*, Prentice-Hall, Englewoods Cliffs, NJ.
- [12] Frazelle, E.H. (1992), *Material Handling Systems and Terminology*, Lionheart Publishing, Inc., Atlanta, GA.
- [13] Frazelle, E.H. (1996), *World-class Warehousing*, Logistics resources international, Inc., Atlanta, GA.
- [14] Gudehus, T. (1973), *Grundlagen der Kommissionier Technik*, W. Giradet, Essen, Germany.
- [15] Harmon, R.L. (1993), *Reinventing the warehouse, World-class distribution logistics*, The Free Press, New York.
- [16] Haynes, D.O. (1958), *Materials Handling Applications*, Chilton Company, Philadelphia, Pennsylvania.
- [17] Heragu, S.S. (2006), *Facilities Design*, iUniverse, Lincoln, NE.
- [18] Immer, J.R. (1957), *Material Handling*, McGraw-Hill, New York.
- [19] Kay, E. (1968), *A mathematical model for handling in a warehouse*, Pergamon Press, Oxford.

- [20] Kulwiec, R.A. (1985), *Material Handling Handbook*, Wiley, New York.
- [21] Kusiak, A. (1990), *Intelligent Manufacturing Systems*, Prentice-Hall, Englewood Cliffs, NJ.
- [22] Lindkvist, R.G.T. (1985), *Handbook of Materials Handling*, Ellis Horwood Ltd.
- [23] Morris, W.T. (1962), *Analysis for Materials Handling Management*, Richard D. Irwin, Inc.
- [24] Mulcahy, D.E. (1993), *Warehouse Distribution and Operations Handbook*, McGraw-Hill.
- [25] Mulcahy, D.E. (1998), *Materials Handling Handbook*, McGraw-Hill.
- [26] Mulcahy, D.E. (2006), *Eaches or Pieces Order Fulfillment, Design, and Operations Handbook*, Auerbach publications.
- [27] Mulcahy, D.E., and Dieltz, J. (2004), *Order-Fulfillment and Across-the-Dock Concepts, Design, and Operations Handbook*, CRC Press, Boca Raton, Florida.
- [28] Mulcahy, D.E., and Sydow, J. (2007), *Supply Chain Logistics for Warehouse Management*.
- [29] Muther, R. (1973), *Systematic layout planning*, 2nd ed., Cahners books, Boston.
- [30] Reible, S. (1949), *Trolley Conveyors*, McGraw-Hill Book Company, New York.
- [31] Stocknre, H.E. (1951), *Materials Handling*, 2nd ed., Prentice Hall, New York.
- [32] Tompkins, J.A., and Smith, J.D. (1988), *The Warehouse Management Handbook*, (eds.), McGraw-Hill, New York.
- [33] Tompkins, J.A., White, J.A., Bozer, Y.A., Tanchoco, J.M.A. (2003), *Facilities Planning*, John Wiley and Sons, New York.
- [34] Wenzel, C. (1985), *Small parts, Storage, and Retrieval Techniques*, Auerbach Publishers Inc., Pennsauken, NJ.
- [35] White, J.A., and Pence, I. (1991), *Progress in Material Handling and Logistics*, Vol. 2, Springer-Verlag.